

CERTIFICATE

December 24, 2003

I, Teiji MIYAGAWA

of 6th Floor, FUJI BLDG., 19, Aizumi-cho, Shinjuku-ku, Tokyo 160-0005, Japan do solemnly and sincerely declare that I am conversant with the English and Japanese languages and am a competent translator thereof, and that the attached document is, to the best of my knowledge and belief, a true and correct translation of Japanese Patent Application No. H11-244279 filed on August 31, 1999 in the name of ARUZE CORPORATION.

Teiji MIYAGAWA

Patent Attorney

JAN 0 7 2004
TECHNOLOGY CENTER R3700

Translation of Japanese Patent Application H11-244279

[Name of the Document] Specification

[Title of the Invention] GAME MACHINE

[Claims]

- 1. A game machine comprising:
- a display means for displaying a special symbol indicating a shift to a special game state if a variation display stops at a specific form and displaying game-related production display; and
- a control means for determining the stop result of the variation display and controlling the display of the display means according to the determination;

the control means being constituted to be adapted to control the display means to perform production display of producing a scenario from its beginning to its end during a period from a start to an end of the variation display.

- 2. A game machine according to claim 1, wherein the end of the scenario indicates whether to shift to the special game state.
- 3. A game machine according to claim 1 or 2, wherein the control means is constituted to control the display means so that the production display becomes such that contents of the scenario progress according to a stop timing of the variation display.
- 4. A game machine according to claim 1 or 2, wherein said control means is constituted to control the display means so that the production display becomes such that contents of the scenario progress irrespective of a stop timing of the variation display.

- 5. A game machine according to claim 3, wherein the control means is constituted to change the production display to show an evolution of the contents of the scenario when a state of the game becomes a Reach state which indicates a shift to the special game state if the variation display stops one more special symbol at a specific stop arrangement.
- 6. A game machine according to claim 5, wherein the evolution of the contents of the scenario is indicated by changes in a background shown as the production display.
- 7. A game machine according to any one of claims 1 to 6, wherein a progress form of the scenario shown with the production display is different by a type of production designs or combination thereof.
- 8. A game machine according to any one of claims 1 to 7, wherein the production display suggests moving on to the special game state with a type of the production designs or with an appended design indicated as appended to the production designs.
- 9. A game machine according to any one of claims 1 to 8, wherein the display means is constituted with a display zone for the production display greater than a display zone for the variation display of the special symbol.
- 10. A game machine comprising:
- a display means for displaying designs related to a game: and a control means for controlling a display on the display means; the control means is constituted to be adapted to perform a production

display of producing a process from a beginning to an end of a scenario, and to control the display means to display that the game moves on to a special game state when the end of the scenario indicated with the production display becomes as specified.

11. A game machine readable recording medium recording a game program, wherein the game program gives the game machine a function of permitting a player to play a game by displaying a special symbol indicating a shift to a special game state if a variation display stops at a specific state, and a function of displaying a production from a beginning to an end of a scenario during a period from a start to a stop of the variation display.

[Detailed Description of the Invention]

[Technical Field of the Invention]

This invention relates to game machines such as a pachinko game machine (pinball-like game machine of Japanese origin) comprising a display means for displaying game-related designs and control means such as a microcomputer for controlling the display.

[0002]

[Conventional Art]

A type of pachinko (spring-driven steel ball) game machine has been on the market, in which a display means is provided to show variation display of symbols when specific conditions are met (hereinafter called "special symbols"), and advantage is given to the player if the variation display stops at a specific combination of the special symbols. In recent years, many electric display devices are used such as liquid crystal display devices capable of showing

various production (dramatic) displays.

. [0003]

Concerning such game machines, the greatest concern of the player is whether the variation display stops at a special game state, the so-called "big hit," a combination of special symbols, favorable for the player. The combination of the special symbols is for example a set of three identical special symbols like "7-7-7." Therefore, the player is to carefully trace visually the special symbols shown as variation display.

[0004]

However, since the variation display of the special symbols is made at a high speed, actually the player is like visually tracing invisible designs. Also, until the result of stop of special symbols appears, the process is monotonous and not a fun at all, and the player is bored. As the player visually traces the special symbols moving at high speeds, the player may suffer eyestrain.

[0005]

In recent year, arrangements for enhancing the fun of playing have been put on the market. In one arrangement, a display (pre-big-hit (Reach) production or Reach action) is made separately from the ordinary display of the varying special symbols when a condition of a Reach, where a big hit would happen with one more stop of the special symbol, is reached, so that the player can feel that the time of a big hit is near. In another arrangement, the Reach display is made with a story. However, the fact that the player visually traces the special symbols moving at high speeds until the Reach state is reached remains unchanged.

[0006]

In still another arrangement, production display is performed

by causing character designs to appear before reaching the Reach state.

[0007]

In the arrangement of laid open Japanese patent application H9-155028, for example, in addition to the display of special symbols for determining the occurrence of a special game state using a special variation display device, an animated image of a character playing golf is displayed, and the displayed result of the animated image is made to correspond to the displayed result of the special symbols. For example, during the variation display of the special symbols, an animated image is displayed in which a character performs a series of tee shot actions of golf. If the ball enters the hole, a big hit symbol is displayed and if not, a miss symbol is displayed. In this animated image, the common story of golf is used for different games, and the game to be displayed is switched according to the number of starting up the special symbols.

[8000]

In the arrangement of laid open Japanese patent application H 9-313682, while a game is going on with variation display of special symbols (variation display game), a preliminary variation display game is played as interlocked with the variation display game. Concerning the preliminary variation display game, an ornamental display is made in which a stop symbol is extracted when the character design drives out a special symbol for variation display.

[0009]

In the arrangement of laid open Japanese patent application H 9-234276, animated image information constituted to synchronize with the variation display of the special symbol display device is displayed on an image display device. The animated image shows for

example the story from the step of an angler dropping a fishing line to the step of landing a fish, corresponding to the states of big hit, miss Reach, and miss. Specifically, specific designs such as an octopus, a shark, etc. corresponding to the special symbols defined as the stop symbols of the special symbol display device are made to appear while the variation display is performed with the special symbol display device.

[0010]

(Problem to be solved)

With the arrangement in laid open Japanese patent application H 9-155028 described above, however, the story shown with the animated image is made different only concerning the image corresponding to the finally stopped result of the special symbols, and the story during the variation display remains the same. Therefore, the evolution of the story can be easily predicted and the player becomes bored after viewing for a long time.

[0011]

From another viewpoint, the displayed contents of the animated image (showing a golf ball missing a hole) are the same whether a miss results from a Reach state or not from a Reach state. Therefore, if the player watches the animated image only, the game comes to an end without the player learning whether a Reach state is reached or not. That is, after all, in order for the player to learn the game state, the player cannot turn the eyes from the monotonously varying display of the special symbols.

[0012]

Even if plural kinds of animated images are set on the basis of the same story, since a monotonous pattern is repeated, the player gets bored. [0013]

According to the another arrangement in laid open Japanese patent application H9-313682 described above, since the preliminary variable display game using the character designs is interlocked with the variable display game, after all, the player cannot turn the eyes from the monotonous variation display.

[0014]

According to the another arrangement in laid open Japanese patent application H9-234276 described above, since the animated image information is expressed with close correlation with special symbols, namely the determined, stopped designs are expressed with character designs such as octopus or shark, in order to learn the state of the game, it is necessary every time the varying display stops to check the stopped result after watching the display of the animated image information. Besides, no change can be seen in the character design (the angler) before a Reach state is reached, which is monotonous. Moreover, in case a Reach state is not reached because the special symbols on right and left hand sides are not in agreement, the story expressed with the animated image information does not come to an end, and so the player cannot grasp the state of the game by merely watching the animated image information. That is, even if production display is shown, nothing changes in that the player must watch the special symbols that are variation-displayed.

[0015]

Furthermore, with a game machine performing the varying display continuously for a long time such as a game machine having the function of changing the winning rate in a big hit lottery (variable probability machine), the above-mentioned problems of "eyestrain" and "getting bored with monotonous variation display" become worse. On top of that,

since most of the stopped results of the variation display are misses and most of which do not even come to a Reach state, watching the variation display ends up in wasting much effort.

[0016]

An object of the invention is to provide a game machine capable of making it possible for a player to reliably learn the game evolution such as a big hit, Reach evolution, and a miss even without watching variation-displayed special symbols, by simply watching production displays.

[0017]

[Measures to Solve the Problem]

A game machine of a first form of the invention is one comprising a display means for displaying a special symbol indicating shifting to a special game state if a variation display stops at a specific state and also displaying game-related production display, and a control means for determining the stopped result of the variation display and controlling the display of the display means according to the determination, the control means being constituted to control the display means to perform production display of producing a scenario from its beginning to the end during the period from the start to the end of the variation display.

[0018]

A second form is characterized in that the end of the scenario indicates whether to shift to a special game state.

[0019]

A third form is characterized by being constituted to control the display means so that the production display becomes such that the contents of the scenario progress according to the stop timing of the variation display.

[0020]

A fourth form is characterized by being constituted to control the display means so that the production display becomes such that the contents of the scenario progress irrespective of the stop timing of the variation display.

[0021]

A fifth form is characterized in that the control means is constituted to change the production display to show the evolution of the contents of the scenario when the game state becomes a Reach state which shifts to a special game state if the variation display stops one more special symbol at a specific stop arrangement.

[0022]

A sixth form is characterized in that the evolution of the contents of a scenario is indicated by changes in the background shown as a production display.

[0023]

A seventh form is characterized in that the progress pattern of a scenario shown with the production display is different by the type of production designs or combination thereof.

[0024]

An eighth form is characterized in that the production display suggests moving on to a special game state according to the type of the production design or to an appended design indicated as appended to the production design.

[0025]

A ninth form is characterized in that the display means is constituted with a display zone for the production display greater than a display zone for the variation display of the special symbol. [0026]

A tenth form is characterized by comprising a display means for displaying designs related to the game, and a control means for controlling the display on the display means, said control means performing production display of producing the process from the beginning to the end of a scenario, and controlling the display means to display that the game moves on to a special game state when the end of the scenario indicated with the production display becomes as specified.

[0027]

An eleventh form is a recording medium having a recorded game program characterized in that a function of displaying the production from the beginning to the end of a scenario during the period from the start to the stop of the variation display is added to a function of permitting a player to play a game by displaying a special symbol indicating shifting to a special game state if the variation display stops at a specific state.

[0028]

[Function and Effect]

According to the first form of the invention, the control means controls the display means to display the production of a scenario from its beginning to end during the period from the start to the stop of the variation display. Therefore, a production display is possible with which the player can learn the game evolution such as a big hit, a Reach evolution, a miss after a Reach state, and a miss, without watching the special symbols in variation display. With such a production display, since the player need not concentrate attention to the variation display even when playing a game with variation display for a long period of time, games that do not cause eyestrain or boredom can be provided. Even if most of the games result in misses,

the player can play the games with pleasure of watching the evolution of scenario of the production display.

[0029]

According to the second form of the invention, since the end of the scenario of the production display indicates whether the game shifts to a special game state, the player can easily learn by simply watching the production display the final result of the game displayed in variation.

[0030]

According to the third form of the invention, since the contents of the scenario of the production display proceed according to the timing of stops of the variation display, the player can grasp the timing of each stop of the variation display by simply watching the production display.

[0031]

According to the fourth form of the invention, since the contents of the scenario of the production display proceed irrespective of the timing of stops of the variation display, games can be evolved with originality irrespective of the variation display.

[0032]

According to the fifth form of the invention, since the control means changes the production display when a Reach state is reached so that the contents of the scenario evolve, the player can easily learn the occurrence of the Reach state by simply watching the production display.

[0033]

According to the sixth form of the invention, since the evolution of the contents of the scenario is indicated with the change in the background indicated as production display, the player is likely to

notice the evolution of the scenario and can easily learn the change in the game indicated with the variation display by simply watching the production display.

[0034]

According to the seventh form of the invention, since the progress pattern of the scenario indicated with the production display varies according to the types of production designs appearing in the production display or their combination, the player can predict to some extent the ensuing game evolution by simply watching the types of the displayed production designs (for example character designs) or their combination from the beginning. Additional fun of anticipating the appearance of production designs leading to scenario evolution favorable for the player is also provided.

[0035]

According to the eighth form of the invention, the production display suggests the shift to a special game state using the types of the production designs appearing in the production display or using appended designs indicated as attached to the production designs. Therefore, situations or final results of the game indicated with the variation display can be expressed in various ways using the production designs or appended designs.

[0036]

According to the ninth form of the invention, the display means has a display zone for the production display wider than a display zone for the variation display of the special symbol. Therefore, the player can watch only the production display and enjoy its evolution without being distracted with the variation display.

[0037]

According to the tenth form of the invention, only the production

display of producing the process from the beginning to the end of a scenario is shown, a game machine nonexistent in the past is provided that makes it possible to learn the occurrence of a big hit, a miss, or a Reach state without performing conventional variation display. [0038]

The eleventh form of the invention is a recording medium having a recorded game program characterized in that a function of displaying the production of a scenario from the beginning to the end during the period from the start to the stop of the variation display is added to a function of permitting a player to play a game with a special symbol displayed to indicate shifting to a special game state if the variation display stops at a specific state. Therefore, the recording medium with the game program can be used in home game machines. Also, by installing the program from the recording medium to general purpose computers, such computers may be used as game machines.

[0039]

[Embodiment of the Invention]

Here will be described a pachinko game machine as an embodiment of the invention.

[0040]

FIG. 1 is a front view of the game board 10 of the pachinko game machine. A liquid crystal display device 3 as a means for displaying designs related to games is placed in about the center of the game board 10. The liquid crystal display device 3 variation-displays plural symbols expressed with images to show three rows of reels of a slot machine in simulated manner. The variation-displayed symbols are termed "special symbols." The special symbol, if its variation display stops at a specific stop arrangement (such as a stop arrangement "7-7-7" which is termed a "big hit"), indicates a shift

to a special game state favorable for the player. In the special game state, to be specifically described later, a big prize hole 5 described later is converted to a favorable state.

[0041]

The liquid crystal display device 3 also displays various production displays during the variation display of the special symbols. The production display is expressed in various forms of images, representing a "big hit probability" of shifting to the above-mentioned special game state or a "Reach evolution probability" of evolving to the Reach state, or representing that the special game state with the variation display has evolved to the Reach state, a big hit has been established, a miss has happened, etc.

[0042]

In this embodiment, as shown in FIG. 2(a) to be described later, special symbols constituted with numerical symbols etc. are displayed in the display zones 50L, 50C, and 50R in the upper part of the display screen 3a of the liquid crystal display device 3. In other display zones are displayed the game-related production displays. In FIG. 2(a) are shown production designs using a male character 51 and a female character 52 with the background of a station plaza. The male character 51 and the female character 52 chat with each other, changes their expressions and physical movements. Evolution from the beginning to the end of a specific scenario is displayed with different situations realized by changing the background. That is, depending on the kind of a scenario along which the production display evolves, the ensuing game result varies, and the contents appearing in the course of the production display suggests probabilities of a big hit and evolving into a Reach state.

[0043]

Therefore, the player can predict to some extent the probability of evolving into a Reach state or the big hit thereafter by grasping along which scenario the contents displayed with the production display are evolving.

[0044]

When a Reach state is reached, the production display is shown with contents of the scenario in the state of having greatly evolved. For example, when two, male and female characters are placed in a different situation with a different background, the player can easily understand that the scenario has evolved greatly and easily recognize that the game has reached a Reach state. The probability of a big hit is made different according to the extent of evolution. Such a production display will be described later more in detail for specific contents of the display.

[0045]

Again referring to FIG. 1, a startup win hole 4 for a game ball to enter and start variation display of the special symbols of the liquid crystal display device 3 is provided below the liquid crystal display device 3. The startup win hole 4 comprises a variable prize device convertible to a first state unfavorable for the player and a second state favorable for the player. It is designed that, when a game ball enters the hole 4, a specified number (for example five) of prize balls are dispensed.

[0046]

The startup win hole 4 has a prize space that can hold a game ball or two even in the first state unfavorable for the player, and so a ball can enter the hole.

[0047]

An LED display device 2 having seven segments is provided above

the liquid crystal display device 3. The LED display device 2 starts a variation display when a game ball passes through passage ball gates 6a, 6b located on the game board 10. When the variation display of the LED display device 2 stops at a predetermined specific state, for example "7," the startup win hole 4 is converted to the second state favorable for the player.

[0048]

Four LED operation memory lamps 16 are provided around the LED display device 2. The LED operation memory lamps 16 memorizes the number, up to four, of passages of game balls through the passage ball gates 6a, 6b every time the ball passes, and notifies the player of the number of variations, possible at that time, of the LED display device 2. The fifth and later passages are not counted and become invalid.

[0049]

Four startup win memory lamps 15, two for each of right and left sides, are provided above the liquid crystal display device 3. This is arranged to memorize the number of wins, up to a limit of four, with balls entering the startup win hole 4 while the variation display is being performed with the liquid crystal display device 3, and to notify the player of the number of variation displays that can be shown on the liquid crystal display device 3 at that time by causing the startup win memory lamps 15 to be on. Therefore, in the state of all the four lamps 15 being lit, a ball entry into the startup win hole 4 is invalid as a variation display startup condition.

[0050]

A big win hole (so called "attacker") 5 convertible to either a closed state disadvantageous to the player or an open state advantageous to the player is provided below the startup win hole 4.

The big win hole 5 comprises a variable win device of a type having doors and convertible to an open state advantageous to the player when the variation display of the special symbols on the liquid crystal display device 3 stops to show a specific combination of the special symbols, a "big hit." It is arranged that when a game ball enters the hole 5, a specified number (for example 15) of prize balls are dispensed.

The afore-mentioned special game state is the game state of permitting 16 rounds of a big hit game with the big win hole 5 open until 10 balls enter the hole or 30 seconds elapse. However, in order to play a next round after the first round of big hit game is over, a specific condition, generally called "V win" must be met.

[0051]

Here, the big win hole 5 is constituted with plural win holes. The V win is the case in which a game ball enters specific one of the plural win holes. The specific win hole is usually set in the center of the big win hole 5.

[0052]

On the game board 10 are further provided, pin wheels 12a, 12b, general win holes 13a, 13b, 13c, 13d, 13e, 13f for dispensing five prize balls to the player for every entry of a win ball, and board side lamps 14a, 14b.

[0053]

The contents of display on the display screen 3a are described below using specific examples.

[0054]

When a game is started with the liquid crystal display device 3, variation display of specific symbols begins on the display zones 50L, 50C, and 50R of the display screen 3a as shown in FIG. 2(a). At

the same time, a production display begins to produce a scenario. [0055]

FIG. 2(a) shows the state immediately after the variation display of the specific symbols begins. A production display is shown as follows: A background scene of a station plaza is shown on the display screen 3a. Next, a male character 51 as a production design comes into the scene from the left of the display screen 3a, and a female character 52 from the right. And as shown in FIG. 2(b), the display changes to show both characters 51 and 52 standing close to each other.

After that, as the scenario evolves, attachment designs attached to the production design are shown. For example as shown in FIG. 2(c), when the variation display in the left display zone 51L stops, a word design 53a representing the words the male character 51 speaks to the female character 52 and a true (real) intention design 54a not necessarily in agreement with the contents of the word design 53a are shown respectively as the attachment designs. Here, the word design 53a of the male character 51 is shown as "You wanna sleep with me, yeah?" and the true intention design 54a shows that the true intention of the male character 51 is almost the same as the contents of the word design 53a.

[0057]

[0056]

In succession as shown in FIG. 2(d), when the variation display in the right display zone 51R stops, a word design 55a representing the words the female character 52 speaks back to the male character 51 and a true intention design 56a are shown respectively as the attachment designs. Here, the word design 55a of the female character 52 is shown as "That's what I'm gonna say!" and the true intention design 56a shows that the true intention of the female character 52

is almost the same as the contents of the word design 55a. [0058]

Here, various patterns as shown later in FIGS.30 to 35 (production pattern determination table) are prearranged for the contents of the word designs. Therefore, as for the contents of the word designs shown, conversations of the male and female characters are not necessarily going on smoothly under mutual understanding, namely consistent, as shown in FIG. 2 (d). The contents of the word designs show big hit probability and Reach probability. When the conversation between the male and female characters is consistent as shown in FIG. 2 (d), the big hit probability and Reach evolution rate are high.

[0059]

Various patterns are preset to the true intention designs, specifically 20 patterns, H1 to H2O, as shown in FIG. 12. In FIG. 2 (d), the true intention of the female character 52 is shown with the true intention design 56a (H14 in FIG. 12) indicating that the true intention of the female character is almost the same as the contents of the word design 55a. However, if the true intention design H19 of FIG. 12 is shown in FIG. 2 (d), it cannot be considered to be in agreement with the contents of the word design 55a. In that case, the big hit probability or Reach evolution rate is low. Other words, as shown in Fig. 2(d), in case that the true intention design 56a is almost the same as the contents of the shown word design 55a, the big hit probability or Reach evolution rate is high.

[0060]

However, even if the conversation between the male and female characters is inconsistent, or if the true intention design 56a is inconsistent with the word design 55a in contents, a big hit may occur

depending on the scenario evolution. Therefore, the player's attention to the production display is not distracted.

[0061]

As shown in FIG. 2 (d), if a Reach state is reached with the same stop symbols in the right and left display zones 50R and 50L, the contents change according to the evolution of the scenario. However, if the stop symbols in the right and left display zones 50R and 50L are not the same each other as shown in FIG. 2 (e), a miss results. In case of such a miss, the word design 55b shows a harsh contents such as "Go away, bozo!"

[0062]

As described above, the contents of the attachment designs such as the word design and the true intention design greatly influence the expectations of the player for a big hit. Each attachment design is shown simultaneously with the stop time point of the variation display, and in case their contents are consistent, the stop-displayed special symbols also show a Reach state. Namely, it is constituted that the game situation can be accurately grasped by only watching the attachment design display, without paying attention to the special symbols moving at high speeds.

[0063]

When the game comes to a Reach state, the production display changes, after displaying "Reach" as shown in FIG. 3 (f), to that of an evolved, completely different state of the scenario. Therefore, the player not only can easily recognize from the production display the occurrence of a Reach state but also can have enhanced expectations for big hits to follow.

[0064]

The scenario evolves roughly in four patterns; "super love-love

Reach," "direct to hotel Reach," "date spot Reach," and "another guy Reach." Although these evolution patterns have different contents, the end of the scenario is whether the two, male and female characters finally check in the hotel. If the final display indicates that the male and female characters check in the hotel, the game results in a big hit with the three display zones 50L, 50C, and 50R showing the same designs. If the male and female characters do not check in the hotel, the game results in a miss.

[0065]

FIG. 4 shows a scenario evolution of the above-mentioned "super love-love Reach." In this "super love-love Reach" state, many heart marks are shown in the background, and the scenario evolves that the male and female characters go directly to and check in the hotel. That is, once the game results in this "super love-love Reach" state, thereafter the game results in a big hit with a probability of 100%. And after showing a big hit image of FIG. 4 (h3), the display changes to a big hit game image.

[0066]

Referring again to FIG. 3, in case the scenario evolves to a state other than the "super love-love Reach," there may be a case as shown in FIG. 3 (g) in which large letters are shown in the center of the display screen 3 (a) after reaching to a Reach state. Here, an expression "I'm gonna make it tonight!" is shown. To this phrase too, various patterns are allocated which correspond to the words before reaching a Reach state as shown in FIGs.30 to 35 (production pattern determination table). These phrases represent the player's zeal or spirit for the future evolution of either of the characters coming into the scene. In case these phrases are shown, the big hit probability is higher than usual and so the player can hope further

evolution of the scenario.

[0067]

FIG. 5 shows a scenario evolution in the "direct to hotel Reach" case. In this "direct to hotel Reach" case, like in FIG. 4, the scenario evolves that the male and female characters go direct to a hotel. If the characters check in the hotel without any happening, the game results in a big hit as shown in Fig. 5(j3). However, unlike the above case of "super love-love Reach," they do not necessarily check in the hotel.

[0068]

For example, in the scene shown in FIG. 5 (j4), if the female character in front of the hotel expresses the phrase "I'm leaving, then." and disappears, the game results in a miss. As a matter of course, the special symbols in the stopped state are not the same each other.

[0069]

Even in the case a big hit like FIG. 5 (j3) as the final result of the scenario evolution is to be shown, there may be a case in which the display of FIG. 5 (j5) is shown and the two characters do not smoothly check in the hotel. In that case, the player frets about the game evolving to a big hit. With such a scenario evolution along with a display causing fret about the game evolving to a big hit, the player's mind is mixed with expectations to a big hit and anxiety about a miss, and so the tension of the player is enhanced.

[0070]

FIG. 6 shows the scenario evolution of the case of the above "date spot Reach." In this "date spot Reach" case, various dating spots are shown where the male and female characters 51, 52 visit. In this FIG. 6, scenes are shown in which the male and female characters 51, 52 pass in front of a rahmen (Chinese noodle) shop (FIG. 6 (k1)), enter

a bar (FIG. 6 (k2)), and come out of the bar (FIG. 6 (k3)). The scenario evolution thereafter is the same as that of the "direct to hotel Reach" case shown in FIG. 5.

[0071]

In FIG. 6, there may be a case in which the words of the female character 52 are shown with "I don't wanna eat here!" as shown in FIG. 6 (k4). In that case, the game later results in a miss.

[0072]

FIG. 7 shows the scenario evolution of the above "another guy Reach" case. In this "another guy Reach" case (FIG. 7 (m1)), scenes are shown in which male and female characters 51, 52 pass in front of various dating spots while another male character 57 comes walking from the opposite direction. After that, if the another male character 57 simply passes by, the display shifts to that of FIG. 5 (j2), namely the above "direct to hotel Reach," and the game results in a big hit. That is, in case the another male character 57 simply passes by, it indicates that the big hit probability is 100 %.

[0073]

However, there may be a case in which the female character 52 says "Sorry. I have a date with that boyfriend." as shown with the word design 55e in FIG. 7 (m2), and leaves with the another male character 57 as in Fig. 7(m3). This corresponds to a miss, with the special symbols not in agreement with each other in their stopped state, and the game with this display screen 3a is over.

[0074]

When a game played with the liquid crystal display 3 results in a big hit, the game becomes the special game state during which a display as shown in FIG. 8 begins on the display screen 3a. In this special game state, as described before, the big hit game in which the big win hole 5 is converted to a favorable state may be played up to 16 rounds. Here, the display on the display screen 3a is changed at every turn of the round to notify the player of the turn of the round.

[0075]

For example, in the special game state, a display is made as shown in FIG. 8 (p1) followed by a round display as shown in FIG. 8 (p2) to notify that the first round of the big hit game is going on. With the round display shown in FIG. 8 (p2), the screen shows an introduction of a female character coming into the scene of a production display.

[0076]

After that, the display changes to introduce each of the other female characters in succession at every turn of the round. The female character introduction screen displays all the female characters except "Takarada" and "Ohara" shown in FIG. 9 (to be described later) up to the seventh round of the big hit game.

[0077]

When the game enters the eighth round, the display state of each round displays the female character and her favorite male partner (a male character that makes a best couple later). This round display shows all the female characters except "Takarada" and "Ohara" shown in FIG. 9 (to be described later) up to the 14th round of the big hit game.

[0078]

In the 15th round, along with the female character display, a round display with letters is made as "Gotcha, two more rounds to go." In the final 16th round, along with the female character display, a round display with letters is made as "It's the final round, watch

out, hold on."

[0079]

Here, FIG. 9 shows the combinations of male and female characters appearing during the production display; and big hit probability, Reach evolution rate, and appearance rate when the combinations come into the scene during the production display. In the production display of this embodiment, two, male and female characters appear as the scenario goes on. As shown in FIG. 9, plural types of male and female characters appear and their combinations (types of couples) are made to represent different Reach evolution rates and big hit probabilities.

[0080]

In FIG. 9, the male-female combinations indicated with black hearts ((I) to (VII)) are called "the best couples." Their Reach evolution rate is 100 %, namely the game evolves to a Reach state with a probability of 100 %, and their big hit probability is 15.182 % which is higher than other couples in probability of evolving to a big hit. [0081]

The male-female combinations indicated with white hearts are called "normal couples," with a Reach evolution rate of 18.575 %, and a big hit probability of 0.391 %, both lower than those of the best couples.

[0082]

The male-female combinations indicated with broken hearts are called "worst couples," with a Reach evolution rate of 2.002%, namely little probability of evolving to a Reach state, and a big hit probability of a very low 0.020%. Here, as seen in FIG. 4, the female characters "Takarada" and "Ohara" are not included in any of the best couples or the normal couples. The best couples and the normal couples

are constituted with combinations of seven female characters, other than "Takarada" or "Ohara," and specific male characters. Therefore, the contents of the round display shown during the special game suggest not only the ordinal number of the round but also the characters constituting the best couples of high probabilities of big hits. [0083]

Plural backgrounds are preset to the scene where the male and female characters appear. An example of the background is a "station plaza" as shown in FIG. 10, and another is a "seaside park" as shown in FIG. 11. Changing the scene setting by the use of different backgrounds makes it possible to evolve the scenario according to respective backgrounds, increase the number of variations of the production display, and enhance the fun of the game.

There may be a case as shown in FIG. 10 in which a train design 58 passes across the background of the scene where the male and female characters appear, or a case as shown in FIG. 11 in which a dog design 59 appears. These are the production designs indicating the Reach evolution rate and the big hit probability. In this embodiment, the passage of the train design 58 and the appearance of the dog design 59 are very rare. Therefore, if they appear, the big hit probability is 100 %.

[0085]

[0084]

The true intention designs 54a and 56a are arranged to produce different probabilities of big hit depending on combinations they make. FIG. 12 is an overview table of the true intention designs shown as the production display. FIG. 13 shows combinations of the true intention designs shown in FIG. 12 and their probabilities of big hit. As shown in FIG. 13, when any combination corresponding to the

affectionate rank is shown on the production display, the big hit probability is 2.47 %. When any combination corresponding to the date rank is shown on the production display, the big hit probability is 0.28 %. When any combination corresponding to the no-way rank is shown on the production display, the big hit probability is 0.07 %.

[0086]

According to FIG. 13, any combination in the affectionate rank or in the date rank is constituted with true intention designs related to each other to some extent. Any combination in the no-way rank is constituted with true intention designs having nothing to do with each other. The case of FIG. 2 (d) described before corresponds to the combination 1 (H14 + H14) of the affectionate rank with a high probability of big hit. The case of FIG. 2 (e) corresponds to the combination 6 (H14 + H19) of the no-way rank with a low probability of big hit.

[0087]

As described above, the production display makes it possible to completely grasp the contents of the game played on the liquid crystal display device 3 by simply watching the scenario evolution shown with the production display. Therefore, there is no need any more to watch the special symbols displayed to vary at high speeds.

[0088]

Various demonstration displays (hereafter "demo displays" for short) are performed when no variation display is shown on the liquid crystal display device 3. The demo display not only shows the flow of the entire game played on the liquid crystal display device 3 but includes important information related to the game.

[0089]

This demo display shows suggestion of relationship of various

production displays appearing during the variation display relative to the Reach evolution rate and the big hit probability. Specifically the display is such one as suggests that the male and female characters appearing in the production displays have a strong relationship to the Reach evolution rate and the big hit probability.

[0090]

As described above, the appearance of the combination of the male and female characters of the best couple during the production display indicates very high Reach evolution rate and high big hit rate. Here, that the seven best couples ((I) to (VII) in FIG. 9) have very high probabilities of Reach evolution and big hit is implicitly notified by the random display of the couples during the demo display. That is, the demo display implicitly notifies the player of important information related to the game.

[0091]

Therefore, the player, seeing the demo display repeatedly, is impressed with the couple of the characters appearing in the scene. As the player continues playing, the player becomes aware that the impressed couples are high in the Reach evolution rate and the big hit probability, and can have additional fun of anticipating the appearance of the best couple during the variation display. That is, notifying the player of the best couple not directly but implicitly, additional fun of finding information advantageous to the player is provided and the pleasure of the game is enhanced.

[0092]

Specific situations of the demo display in which the above best couples ((I) to (VII) in FIG. 9) appear are shown in FIGs. 14-D1 to 14-D4. Here, a scene with a station plaza as a background is displayed on the display screen 3a and the above best couples pass right and

left across the scene. As shown in this FIG. 14, the contents of the display is likely to be overlooked by the players who do not know the meaning of the best couples. However, as the play goes on and the meaning is gradually understood, the contents of the demo display become very interesting to the player.

[0093]

The female characters "Takarada" and "Ohara" without partners to make up the best couples shown in FIG. 9 are supposed to pass by themselves during the demo display. That the female characters "Takarada" and "Ohara" pass by themselves implies a very low probability of a big hit, which the player does not want.

[0094]

For those players who become aware that the demo display is implying important information on the game, additional pleasure is provided to seek more advantageous information. For example, in FIG. 15-D5, the train design 58 passes through the background during the demo display, and in FIG. 15-D6, a dog design 59 appears in front of the background during the demo display. Since the train design 58 and the dog design 59 correspond to the big hit probability of 100 % as described above, a new fun of play, namely the player's finding those, is added.

[0095]

As for beginners, if they become aware at an early stage that the demo display is suggesting important information on the game, they can face the game with adequate knowledge of the production display without acquiring much experience.

[0096]

The above demo display on the liquid display device 3 may alternatively arranged to be shown at specific time intervals when

no game is played on the liquid display device 3, or on demand by the player. Further alternatively, it may be arranged that the demo display is started when the symbol variation is not made on the liquid display device 3 continuously for a specific period of time, and that the demo display is finished upon starting the game on the liquid display device 3.

[0097]

FIG.16 is a block diagram of an electric circuit part of the pachinko game machine of the invention.

[0098]

As shown in FIG.16, the electric circuit part of the pachinko game machine of the invention is constituted with a main circuit board 30, a relay circuit board 34, a symbol control circuit board 31, a voice control circuit board 32, and a prize ball control circuit board 33.

[0099]

The main circuit board 30 is constituted about a microcomputer with a central processing unit (CPU), a read-only memory (ROM), and a random access memory (RAM), readable and writable memory means. [0100]

The main circuit board 30 is connected to the relay circuit board 34 to which are connected the following components; a passage ball sensor 20 as a game ball detecting means for detecting game balls passing through the passage ball gates 6a and 6b described before, a start win ball sensor 22 for detecting balls entering the start win hole 4 described before, a big win ball sensor 25 for detecting balls entering the big win device 5 described before, a win ball sensor 21 for detecting balls entering the general win holes 13a, 13b, 13c, 13d, 13e, and 13f, an ejected ball sensor 23 for detecting balls ejected

from a ball ejector (not shown), a return ball sensor 24 for detecting balls ejected but returned without reaching the game board. To the relay circuit board 34 are further connected actuators; an LED display device 2, a lamp display device 41 for connection to board side lamps 14a and 14b, the start win hole 4, and the big win device 5.

When the above sensors detect balls, their detection signals are inputted to the CPU in the main circuit board 30 to operate and control the respective actuators according to the input signals. Control orders are also transmitted to the symbol control circuit board 31, to the voice control circuit board 32, and to the prize ball control circuit board 33.

[0102]

When a game is being played, if the passage ball sensor 20 detects a game ball passing through the passage ball gates 6a or 6b, and a detection signal is outputted, the microcomputer in the main circuit board 30 judges a win in response to the detection signal, and controls the display on the LED display device 2 according to the judgment result.

[0103]

When the start win sensor 22 detects a ball entering the start win hole 4 and outputs a detection signal, the microcomputer in the main circuit board 30 transmits a control signal to the symbol control circuit board 31 to carry out various settings for the game on the liquid display device 3 according to the detection signal, and controls the liquid display device 3 according to the judgment with the symbol control circuit board 31. Here, the symbol control circuit board 31 comprises, separately from the main circuit board, a CPU, a ROM, and a RAM. Control programs for the game played on the liquid

display device 3 and graphic data necessary for the game are stored in the ROM in the symbol control circuit board 31.

[0104]

Based on the above detection of the game ball with the start win sensor 22, the microcomputer in the main circuit board 30 makes a judgment if the game resulted in a big hit. In case the judged result is a big hit, the big win device 5 is converted to the open state with the doors of the big win device 5 opened to facilitate game balls to enter.

[0105]

The voice control circuit board 32 is provided with various voice data and produces voices with the speaker 40 according to control orders transmitted from the main circuit board 30.

[0106]

The prize ball control circuit board 33 operates a prize ball device 43 according to control orders transmitted from the main circuit board 30 according to each type of win, and dispenses game balls.

[0107]

The control process for the games played with the liquid crystal display device 3 using the main circuit board 30 and the symbol control circuit board 31 is described below in reference to the flowcharts shown in FIGs. 17 to 24.

[0108]

The game control process shown in FIGs. 17 to 20 is performed with the main circuit board 30.

[0109]

With the main circuit board 30, a main game control process (ST1 to ST7) shown in FIG. 17 is repeated and also periodical interruption

process (ST10 to ST20) shown in FIG. 18 is performed at specific time intervals (for example every three milliseconds) on condition that an interruption permitting flag is set.

[0110]

The flow of the main game control process shown in FIG. 17 is described below:

[0111]

ST1: Set an interruption permitting flag.

[0112]

ST2: Renew the random number counter for the stop symbol determination and the random number counter for the Reach judgment. [0113]

The stop symbol determination random number counter is for extracting stop symbol determination random numbers used to determine the stop arrangement with the liquid crystal display device 3 when a miss is determined in the above big hit judgment, and renews count values within the range of 0 to 11 shown in FIG. 24. The renewal process is arranged to start from 0 increasing by 1 up to the upper limit value of 11 (hereafter called `count-up´) and again starts counting from 0 up. Incidentally, the stop symbol determination random number counter is constituted with three counters; a left stop symbol determination random number counter, a middle stop symbol determination random number counter, and a right stop symbol determination random number counter, to perform the renewal process individually.

[0114]

The Reach judgment random number counter is for extracting the Reach judgment random numbers used to determine whether or not the variation display of the special symbols is made to the Reach state

in case of a miss, and renews count values within the range of 0 to 9 shown in FIG. 24. That is, the renewal process is arranged to count from 0 up to the upper limit value of 9, and again from 0 up.

[0115]

ST3: Judge if a control command for the error check process is being transmitted. If yes, return to the above step ST1; if no, go to the process of ST4.

[0116]

ST4: Generate a command for the error check process.

[0117]

ST5: Perform error check process according to the command generated in ST4.

[0118]

ST6: Judge if error is occurring. If yes, return to ST1. If no, go to the process ST7.

[0119]

ST7: Perform the special symbol game control process shown in FIGs. 19, 20 to be described later.

[0120]

As described before, periodical interruption process is performed according to the process flow of ST10 to ST20 shown in FIG. 18.

[0121]

ST10: Retract all the registers.

[0122]

ST11: Perform renewal process with the big hit judgement random number counter, the big hit symbol determining random number counter, and the production group determining random number counter.

[0123]

The big hit judgment random number counter is for extracting the big hit judgment random numbers used to determine whether the game result with the liquid crystal display device 3 is to be made a big hit (big hit judgment) in which the same special symbols appear, and renews count values within the range of 0 to 334 shown in FIG. 24. That is, the renewal process is arranged to count from 0 up to the upper limit value of 334, and again from 0 up.

[0124]

The big hit symbol determining random number counter is for extracting the big hit symbol determining random numbers used to determine the stop arrangement with the liquid crystal display device 3 when the above big hit judgment results in a big hit, and renews count values within the range of 0 to 11 shown in FIG. 24. That is, the renewal process is arranged to count from 0 up to the upper limit value of 11, and again from 0 up.

[0125]

The production group determining random number counter is for extracting the production group determining random numbers used to determine the production group to be described later, and renews count values within the range of 0 to 1023 shown in FIG. 24. That is, the renewal process is arranged to count from 0 up to the upper limit value of 1023, and again from 0 up.

[0126]

ST12: Perform renewal process with each timer. [0127]

ST13: Upon detecting input signals from various sensors such as the passage ball sensor 20, the win ball sensor 21, and the start win ball sensor 22, perform processes according to the input signals. For example, in case an input signal from the start win ball sensor 22

is detected, whether the start win memory number is less than the upper limit value (above-mentioned four) is judged. If below the upper limit value, the count values renewed respectively with the big hit judgment random number counter, the big hit symbol determining random number counter, and the production group determining random number counter are extracted as the random numbers and, transferred to and stored in the RAM of the main circuit board 30.

[0128]

ST14: Perform a process related to the display with the LED display device 2 (this is called "ordinary symbol process"). In this ordinary symbol process are performed a win judgment with the LED display device 2 and a display control of the LED display device 2 based on the judgment result.

[0129]

ST15: Perform decoration control process of turning on, off, and flashing various LEDs according to the game state.

[0130]

ST16: Perform prize ball dispensing process in response to requests for dispensation requested as a result of game balls entering the win hole.

[0131]

ST17: Perform error judgment process if various errors have occurred in the game machine.

[0132]

ST18: Perform the process of transmitting control commands to the symbol control circuit board 31, etc.

[0133]

ST19: Reset each register.

[0134]

ST20: Set an interruption permitting flag.

[0135]

As shown in FIG.19, a special symbol game control process judges whether or not any startup prize is stored (ST30). When it is judged that any startup prize is not stored, following processes are performed.

[0136]

A demonstration display switching timer for governing the switching timing between the demonstration display in the liquid crystal display device 3 and the game in the variation display of special symbols (hereinafter referred as "ordinary game), counts the predetermined time duration to judge if an order to switch to the demonstration display is outputted (ST31). If it is judged to output the switching order, then it is judged whether the demonstration display is in display state (ST32). If the demonstration display is in display state, the process switches the state to the ordinary game (ST33) and if in the ordinary game state, then changes to the demonstration display (ST34).

[0137]

If it is judged at ST30 that a memory of the startup prize is stored, then the following processes are performed.

[0138]

The random number for big hit judgment which is stored in RAM at ST13 is read, and it is then judged whether or not in the big hit state, using a big hit judgment table stored in a ROM, as shown in FIG.26 (ST35). In the case if the random number read for big hit judgment is "7" it is judged as big hit.

[0139]

When the big hit judgment is provided at ST35, the random number

for big hit symbol determination which is stored in RAM at ST13 is read, and the big hit symbol is determined from the big hit symbol determination table stored in the ROM, as shown in FIG.26 (ST41). As shown in this FIG.26, in the embodiment twelve types of special symbols are provided. The big hit is a stop arrangement in which three of each special symbol are aligned. The data of these symbols are in turn stored in a ROM in the symbol control circuit board 31.

[0140]

When the big hit symbol is determined, a production group determination table for big hit (FIG.27C) is selected from three production group determination tables stored in the ROM, as shown in FIG.27 and the random number for production group determination which is stored in the RAM at ST13 is used to determine the production group required to determine the production display (ST42).

[0141]

When the judgment of miss is provided at ST35, the random number for Reach judgment which is stored in the RAM at ST13 is read, and it is determined whether or not in Reach state (whether or not the variation display is to be switched to the pre-big-hit state), using the Reach judgment table stored in the ROM, as shown in FIG.28 (ST36). [0142]

When the Reach judgment is provided at ST36, the random numbers for left side stop symbol determination, central stop symbol determination and right side stop symbol determination which are stored in the RAM at ST13 are read, and the stop arrangement of the special symbol is determined from a left side stop symbol determination table, central stop symbol determination table and right side stop symbol determination table (ST39) as shown in FIG.29. In this determination process, the left side stop symbol is firstly

determined and the same symbol is then determined for the right side stop symbol. If the symbol determined from a random number for the central stop symbol determination is identical to the left side and right side stop symbols, the central stop symbol is changed to one fed by one frame.

[0143]

If a stop arrangement of miss after reaching a Reach is determined, then a production group determination table (FIG.27B) for misses after reaching a Reach is selected, as shown in Fig.27 and the random number for production group determination which is stored in the RAM at ST13 is used to determine the production group (ST40).

[0144]

If the judgment of miss without Reach is provided at ST36, as is the case with ST39, the random numbers for left side stop symbol determination, central stop symbol determination and right side stop symbol determination which are stored in the RAM at ST13 are read to determine the stop symbol. Different from the determination process in ST39, the left side and the central stop symbols are firstly determined from random numbers for left side and central stop symbol determinations. If the right side stop symbol determined from a random number for the right side stop symbol determination is identical to the left side stop symbol, the right side stop symbol is changed to one fed by one frame (ST37).

[0145]

If a stop arrangement of miss without reaching a Reach is determined, then a production group determination table (FIG.27A) for misses without reaching a Reach is selected, as shown in Fig.27 and the random number for production group determination which is stored in the RAM at ST13 is used to determine the production group (ST38).

[0146]

As described above, when the stop arrangement of special symbol is determined, a symbol variation command is generated to control the liquid crystal device for displaying on the basis of such determination (ST43) and then the symbol variation command is transmitted to the symbol control circuit board 31 (ST44).

[0147]

Now, entering a flow chart in FIG.20, it is judged whether or not a big hit is provided (ST45). If judged as a miss, the process goes to ST53 described hereinafter in details. If judged as a big hit, then a big hit fanfare process is performed to control the sound control circuit board 32 for outputting sound (big hit fanfare) which is generated in a loud speaker 40 to notice the big hit (ST46).

[0148]

Then, a round display switching timer for governing the timing when an ordinary game state is changed to a round display of a big hit state with the liquid crystal display device 3, counts predetermined time duration to perform the switching of the ordinary game to the round display (ST47).

[0149]

A big hit game time check process for governing the execution time (30 sec) for one round of a big hit at a big prize hole 5 and for governing the latency for switching of the round display is performed (ST48). As a result of the check process, if the lapse of the execution time duration of one round of the big hit state is verified, the flapper of the big prize hole 5 is processed to close. If the lapse of the latency for the switching of the big hit state is verified, then the flapper of the big prize hole 5 is processed to open (ST49).

[0150]

Following ST49, it is judged whether or not the big prize hole 5 is being opened (ST50). When it is opened, the process returns to ST48 process to continue the big hit state. When it is not opened, the process judges if the V win described before is established (ST51). If the V win is established then the process returns to ST48 process to continue the big hit state. If the V win is not established then the big hit state is completed (ST52).

[0151]

And the working area of the RAM which has been used for the special symbol game control process is reset (ST53).

[0152]

FIG.21 is a flow chart, showing a main process performed by the special symbol control circuit board 31.

[0153]

The count value of the random number counter for extracting a random number for production pattern determination which is used for determining the production pattern of a production display described hereinafter is renewed in a range between 0 and 127, as shown in FIG.24 (ST60).

[0154]

Then, it is judged whether or not a symbol variation command is received from the main circuit board 30 (ST61). If the symbol variation command is received, a command receipt flag is set (ST62).

[0155]

And, it is judged whether or not in error state (ST63). If not in error state, image processing is performed (ST64).

[0156]

Referring to a flow chart in FIG.22, the image processing will

be described hereinafter.

[0157]

If in big hit state ("YES" at ST70), then it is judged at ST62 whether or not the command receipt flag is set (ST71). If not set, the round display is kept to be in display state (ST74). If the command receipt flag is set, then an image to be displayed in the round display is set (ST72) according to the symbol variation command received from the main circuit board 30. After canceling the command receipt flag (ST73), the round display process is performed according the setting (ST74).

[0158]

[0159]

If in demonstration display state ("YES" at ST75), then it is judged whether or not the command receipt flag is set (ST76). If not set, the demonstration display is kept to be in display state (ST79). If the command receipt flag is set, then an image to be displayed in the demonstration display is set (ST77) according to the symbol variation command received from the main circuit board 30. After canceling the command receipt flag (ST78), the demonstration display process is performed according the setting (ST79).

If in an ordinary game state ("YES" at ST80), then it is judged whether or not the command receipt flag is set (ST81). If not set, the variation display and production display are kept to be in display state (ST84). If the command receipt flag is set, then variation

display related setting for the special symbol in the ordinary game (ST82) and the production pattern determination process (ST83) are performed according to the symbol variation command received from the main circuit board 30. After canceling the command receipt flag (ST84),

the ordinary game process (display process for the variation display

and production display) is performed (ST85). [0160]

Referring to a flow chart in FIG.23, a production pattern determination process performed at ST83 will be described hereinafter.

[0161]

Based on the production group which are determined at ST38, ST40 and ST42 and contained in the symbol variation command received from the main circuit board 30, one of the production pattern determination tables in FIG. 30 through FIG.35 is selected to determine the production pattern to be displayed as a production display.

[0162]

If the production group 0 is selected ("YES" at ST86), in other words, in the state of a miss without reaching a Reach, as shown in FIG.27, a production pattern determination table (1) for misses without reaching a Reach in FIG.30 and a production pattern determination table (2) for misses without reaching a Reach in FIG.31 are selected. Then the count value of the random number counter for production pattern determination which is renewed at ST60 is extracted as the random number for production pattern determination to determine the production pattern allocated with a range of random numbers in which said random number is included, as a production pattern to be displayed (ST87).

[0163]

If the production group 0 is not selected and one of the production groups 1 to 20 is selected ("YES" at ST88), in other words, in the state of a miss after reaching a Reach, as shown in FIG.27, a production pattern determination table (1) for misses after reaching a Reach in FIG.32 and a production pattern determination table (2)

for misses after reaching a Reach in FIG.34 are selected. Then the count value of the random number counter for production pattern determination which is renewed at ST60 is extracted as the random number for production pattern determination to determine the production pattern allocated with a range of random numbers in which said random number is included, as a production pattern to be displayed (ST89).

[0164]

If one of the production groups other than 0 to 20, or the production groups 21 to 37 is selected ("NO" at ST88), in other words, in the state of a big hit, as shown in FIG.27, a production pattern determination table (1) for big hit in FIG.34 and a production pattern determination table (2) for big hit in FIG.35 are selected. Then the count value of the random number counter for production pattern determination which is renewed at ST60 is extracted as the random number for production pattern determination to determine the production pattern allocated with a range of random numbers in which said random number is included, as a pattern to be displayed (ST90).

As shown in FIG.30 through FIG.35, in the embodiment 252 types of pattern are provided as the production pattern, and those patterns are stored in the ROM within the symbol control circuit board. In these various production patterns, appearing characters, expressions of the characters, true intention designs, words, backgrounds, words upon entering a Reach and types of Reach is previously set in advance and a variety of scenarios are configured by combining them each other. [0166]

Now, F1 - F4 in FIGs.30 to 35 represent expressions of respective characters, practical forms of which are shown in FIG.36 and FIG.37.

FIG.36 shows varied expression types of male characters and FIG.37 shows varied expression types of female characters. H1 H20 represent true intention designs of respective characters, practical forms of which are shown in FIG.12.

[0167]

Also, as the display means, a display apparatus configured of an array of a number of LEDs, CRT, plasma display device and electro-luminescence device or the like may be used, as well as liquid crystal display device.

[0168]

Although the embodiments described are applied to a pachinko game machine, this invention may be also applied to other game machines, such as one including an electrical display device or any imaging device. The player can enjoy the game in a home game machine, using a game program capable to perform pseudo-operations of the pachinko game machine described above.

[Brief Description of Drawings]

[FIG. 1]

A front view of the game board of a pachinko game machine as an embodiment of the invention.

[FIG. 2]

A drawing showing a flow of display on the display screen.

[FIG. 3]

A drawing of a continuation from FIG. 2, showing the flow of display on the display screen.

[FIG. 4]

A drawing showing a flow of display on the display screen in case of "super love-love Reach (pre-big-hit)."

[FIG.5]

A drawing showing a flow of display on the display screen in case of "direct-to-hotel Reach."

[FIG.6]

A drawing showing a flow of display on the display screen in case of "date spot Reach."

[FIG.7]

A drawing showing a flow of display on the display screen in case of "another guy Reach."

[FIG.8]

A drawing showing a flow of display on the display screen while playing a bit hit game.

[FIG.9]

A drawing showing Reach evolution rate, big hit probability for every combination of male and female characters.

[FIG.10]

A drawing showing a scene with background "station plaza."

[FIG.11]

A drawing showing a scene on the display screen with a background of "seaside park."

[FIG.12]

An overview table of designs representing real intentions.

[FIG.13]

A table of probability and occurrence rate of big hit for every combination of real intention designs.

[FIG.14]

A drawing showing demonstration images on the display screen.

[FIG.15]

A drawing showing another example of demonstration images on the display screen.

[FIG.16]

A block diagram, showing an electric circuit constitution of a pachinko game machine.

[FIG.17]

A flowchart of a main game control process related to a game played with a liquid crystal display device performed with a main circuit board.

[FIG.18]

A flowchart of an interruption process.

[FIG.19]

A flowchart of a special symbol game control process.

[FIG.20]

A flowchart showing the continuation of FIG.19.

[FIG.21]

A flow chart of main processing performed with a symbol control circuit board.

[FIG.22]

A flow chart of image processing performed with the symbol control circuit board.

[FIG.23]

A flow chart of production pattern determination processing performed with a symbol control circuit board.

[FIG.24]

A table of count value renewal ranges of various types of random number counters.

[FIG.25]

A big hit judgment table.

[FIG. 26]

A big hit symbol determination table.

[FIG.27]

A table of determining production groups.

[FIG.28]

A Reach state judgment table.

[FIG.29]

A stop symbol determination table.

[FIG.30]

A production pattern determination table (1) for misses without reaching a Reach state.

[FIG.31]

A production pattern determination table (2) for misses without reaching a Reach state.

[FIG.32]

A production pattern determination table (1) for misses after reaching a Reach state.

[FIG.33]

A production pattern determination table (2) for misses after reaching a Reach state.

[FIG.34]

A production pattern determination table (1) for big hits.

[FIG.35]

A production pattern determination table (2) for big hits.

[FIG.36]

A table of looks of male characters.

[FIG.37]

A table of looks of female characters.

[Explanation of the numeral]

1...Pachinko Game Machine, 2...LED display device, 3...liquid crystal display device, 3a... display screen, 4...startup win hole,

5...big win hole, 6a,6b... passage ball gate, 10...game board, 12a, 12b... pin wheels, 13a, 13b, 13c, 13d, 13e, 13f... general win holes, 14a, 14b...board side lamps, 15...startup win memory lamps, 16...LED operation memory lamps.

[Name of the document] ABSTRACT

[Problem] To provide a game machine capable of making it possible for a player to reliably learn the game evolution such as a big hit, Reach evolution, and a miss even without watching variation-displayed special symbols, by simply watching production displays.

[Measure to Solve the Problem] There are comprised a display means 3a for displaying a special symbol on specific display zones 50L, 50C, 50R, indicating shifting to a special game state if a variation display stops at a specific state and also displaying game-related production display, and a control means for determining the stopped result of the variation display and controlling the display of the display means 3a according to the determination. The control means controls the display means 3a to perform production display of producing a scenario from its beginning to the end during the period from the start to the end of the variation display on the specific display zones 50L, 50C, 50R.


[Selected Drawing] FIG. 2

[Name of Document]

Drawing


[FIG. 1]








F I G. 2






F I G. 3






F I G. 4




JAN 0 6 2004 S

F I G. 5






F I G. 6






F I G. 7





F I G. 8





 $F \ I \ G$. 9 Omen derived from the combinations (couples) of male-female characters


_	,				· · · · · · · · · · · · · · · · · · ·			
Ohara		Grand Leverage	Service Servic	Town of the second	Server Server	The state of the s	The state of the s	Constant of the same of the sa
Takarada		Land Land	Server Se	La Carried	La Carrella	La L	Gana St.	San
Yachigusa		San	8>	5	8>	5	£\$	3 (VIII)
Edogawa		8	8	8>	8	8	3 [3]	Surrey Surrey
Watababe	W.	5	8	8	8	3 ²	Grand Samuel	\bigcirc
Mamiya		5	8	8		Start Start	8	8
Kishimoto		\Diamond	\bigcirc		Grand Service	8	5	8
Ohta	C	\bigcirc	((II)	Crant To The Control of the Control	8			\bigcirc
Honjo	O E	3	Carried St.	5	5	5	8	5
8,8	Male Characters	USE.						W.
\angle	che	Raitoh	sdixA	sbsmI	izluzug	ideodotoM	Ayakohji	Кауата

_	ا ج
Worst couple	Reach evolution probability: 2.002% Big hit probability: 0.020% Occurrence rate: 53.651%
	S. S
Normal couple	Reach evolution probability: 18.575% Big hit probability: 0.391% Occurrence rate: 45.630%
Best couple	Reach evolution probability 1: 100% Big hit probability: 15.182% Occurrence rate: 0.718%
	>



FIG. 10

Scene with the background of "station plaza"




[FIG. 11]



F I G. 11

Scene with the background of "seaside park"





F I G. 12

Overview table of real intention designs

H 1	H 2	н 3	H4
H 5	H 6	H 7	Н8
H 9	H10	H11	H12
H13	H 1 4	H 1 5	H16
747			(9.9)
H17	H18	H19	H 2 0
		() () () () () () () () () () () () () (




FIG. 13


Omen derived from the combinations of real intention designs

<u> </u>	`		·			 .					
	Omen rank										
		Love-love rank		Date rank			nk	No-way rank			
	Occurrence rate: 7.35%			Occurrence rate: 23.60%				Occurrence rate: 69.05%			
	Rig	Big hit probability: 2.47%									
	Big int probability. 2.47%			Dig mit probability. 0.20%			Ly. 0.2070	Dig fit probability. 0.0176			
82		H1	+	H1	1	H3	+	H16	1 H2	+ H17	
images	2	H6	+	H6	2	H10	+	H16	2 H2	+ H18	
Į.	3	H14	+	H14	3	H16	+	H7	3 H2	+ H19	
8	4	H15	+	H15	4	H15	+	H4	4 H3	+ H17	
nti	5	H2	.+.	H14	5	H8	+	H11	5 H3	+ H18	
l intention	6	H3	+	H15	6	H9	+	H6	6 H14	+ H19	
	7	H16	+	H1	7	H10	+	H10	7 H9	+ H12	
real	8	H14	+	H4	8	H9	+	H9	8 H13	+ H8	
Jo	9	H15	+	H5	9	H11	+	H11	9 H6	+ H7	
Su	10	H1 .	+	H16	10	H12	+	H12	10 H12	+ H9	
ti					11	H13	+	H13	11 H4	+ H20	
ina					12	H9	+	H16	12 H3	+ H20	
Combinations					13	H11	+	H16	13 H2	+ H20	
ြင်					14	H12	+	H16	14 H18	+ H14	
				•					15 H17	+ H15	
L									16 H17	+ H5	



FIG. 14






+ 11/4 × 124 ×



FIG. 15








FIG. 16






FIG. 17







FIG. 18











FIG. 20










FIG. 21






F I G. 23





Counter type	Count value renewal range
Random number counter for big hit judgment	0 ~ 334
Random number counter for Reach judgment	0 ~ 9
Random number counter for big hit symbol determination	0 ~ 11
Random number counter for production group determination	0 ~ 1023
Random number counter for left side stop symbol determination	0 ~ 11
Random number counter for central stop symbol determination	0 ~ 11
Random number counter for right side stop symbol determination	0 ~ 11
Random number counter for production pattern determination	0 ~ 127



Big hit judgment table

Range of random number for big hit judgment	Items to be judged
7	Big hit
0~6, 8~324	Miss

. . .



FIG. 26

Range of random number for big hit symbol determination

Big hit symbol determination table

Big hit symbol d		-:			
大当り図柄決定用 乱数の範囲	Big hit	sy	mbol for	se	lection
0	1	-	1	_	1
1	2	_	2	_	2
2 ·	3	_	\$	-	3
3	4	-	4	_	4
4	5		5		5
5	6	_	6	_	6
6	77	-	7	_	7
7	(S)	_	3	-	8
8	(J)	_	9	-	9
9	(LOXE)		(Hove)	-	
10		_		_	
11		-		_	M

A. Determination table of production group for misses without reaching

Range of random number for production group determination	Production group for selection
0~1023	Production group O


B. Determination table of production group for misses after reaching

Production group for selection
Production group 1
Production group 2
Production group 3
Production group 4
Production group 5
Production group 6
Production group 7
Production group 8
Production group 9
Production group 1 O
Production group 1 1
Production group 1 2
Production group 13
Production group 1 4
Production group 15
Production group 16
Production group 1 7
Production group 1 8
Production group 1 9
Production group 2 0

C. Determination table of production group for big hit

٠,	. Determination table of produc	tion group for big hit
	Range of random number for production group determination	Production group for selection
	0~39	Production group 21
	40~59	Production group 22
	60~79	Production group 23
	80~99	Production group 24
	100~119	Production group 25
	120~219	Production group 26
	220~419	Production group 27
	420~459	Production group 28
	460~479	Production group 29
	480~499	Production group 3 O
	500~539	Production group 3 1
	540~559	Production group 32
	560~619	Production group 33
	6 2 0 ~ 7 1 9	Production group 3 4
	720~883	Production group 35
	884~953	Production group 36
	954~1023	Production group 3 7





Reach state judgment table

Range of random number for Reach state judgment	Items to be judged
0	with Reach state
1~9	without Reach state.

Range of random number for left side symbol determination

Range of random number for left side symbol determination

Range of random number selected for left side symbol determination

Stop symbol to be selected; Right side stop symbol Left side stop symbol Central stop symbol determination table determination table determination table 左図柄決定用 選択する 左図柄決定用 左図柄決定用 乱数の範囲 停止図柄 乱数の範囲 乱数の範囲 0. 2 .

JAN 0 6 2004 STATE

	OIPE
NA PE	JAN 0 6 2004 14
V	ROEMARK DEFIN

				т					_	_					_	_					_			_
Right character		Phrase		Sorry, you are not my type.					_			Cut it out! Pervert!		I'm afraid you and I have different tastes for songs.	No. Definitely not.	Pick up another girl, will you?	I've just finished.	Sorry, I've got some work to do.	Don't cast a nasty look at me!	You are tone-deaf, you know.	What the heck is that sound?	I'll take a rain check.	You are really insensitive!	Sorry, You are not my type.
	noid	nətni l	Беа	H04			H16				H17			H16	H20	H07		H19	H20	H16	H17	H16	H15	H07
	uoi	press:	жЭ	표				F4	F3	F4	F4	F3	F4	F4	F4	F3	F4	F3	F4	F4	F3	F3	F3	F4
		Name		Honjo	Honjo	Honjo	Honjo	Honjo	Honjo	Honjo	Honjo	Honjo	Honjo	Honjo	Ohta	Ohta	Ohta	Ohta	Ohta	Ohta	Ohta	Ohta	Ohta	Ohta
Left character		Phrase		I, I love you.	Let's go.	Stare	Aren't you ever lonely at night?	Whistle	Wanna come with me?	You're gonna be wild about me.	Won't you have a serious talk with me?	I'm dying to sleep with you.	You are D-cup, right?	Why don't we go to a karaoke parlor and sing together?	Let me borrow it.	l bet I'm gonna capture your heart.	How about dinner with me?	Let's go to a beer garden.	Glance	Let's go to a karaoke parlor.	Pop!!	Won't you come?	Why don't we get some stamina and make love?	Hey, babel
			Вея	H16			H03	H03	H12	H10	Н03	H02	H02	H12	H04								H15	H06
	noi	press	Еx			Ή. Έ	F3	F3	F2	F3	F2	F3	F3	F2	F2	F3	F2	F2	بر س	F2	H3	F2	F2	F3
		Name		Akiba	Akiba	Akıba	Akiba	uzuki	Suzuki	Imada	Moroboshi		Ayakohji	Kayama	Imada	Imada	Imada	Suzuki	Suzuki	Moroboshi	Moroboshi	Ayakohji	Kayama	Кауата
	Background	0		Station plaza	Station plaza	Seaside park	Station plaza	Station plaza	Station plaza	Seaside park	Seaside park	Seaside park	Station plaza	Station plaza					Station plaza	Station plaza	Seaside park	Seaside park	Seaside park	Seaside park Kayama
n number duction	tern ination	Width of	random number	1	,	_	г	-	П	-		-1			Ţ	_	-	, ,		—	7			
		Range of		0	(7.	က	4	2	9	7	8	6	10	11	12	13	14	G,	9[17	18	19	20
					2	က	4	2	9	7	∞	6	10	11	12	13	14	15	16	17	<u> </u>	19	20	21
đno	Ρ ^ν α	0																						
	Random number Left character	Random number for production pattern pattern Background no number pattern patt	Random number for production pattern pattern determination of	Background Name Said in Fight character Background Name Fight character Right character Right character Right character Phrase Said design Expression Fight character Right character Right character Fight character Right character Right character Right character Fight character Right character Ri	Random number for production Pattern Getermination Range Width of of number random random random random number Name Akiba F2 H16 I, Ilove you.	Random number for production pattern determination Range Width of number random random random number number 1 0 1 Station plaza Akiba F2 H16 I, Ilove you. Honjo F3 H16 Let's go.	Random number Random number Random number Random number Random number Random Ra	Random number Random number Random number Random number Random number Random Pattern Range Width Name Color Color Range Width Name Color Col	Random number For production Background Name Station plaza Akiba F3 H03 H04 H05 H05	Random number Arichan Random number Arichan Random number Arichan Random number Patient Random Rando	Random number Ariba Fa Handar Fa Handar Fa Handar Fa Handar Handar Fa Handar Handar Fa Handar H	Pandom number Pattern Pattern	Pattern Patt	Pattern Patt	Partern Part	Particulum number Particulum Particulu	Particular Par	Pandom number Pandom number number Pandom number number number Pandom number number number number number number number Pandom number number number Pandom number	Partlem number Packground Name Seaside park Imade Factor Image Pattino plaza Pattino plaza	Paradom number Packground Packground	Pandom number Packground Packground	Random number Packground Name Safeton plaza Akiba F2 H3 Monther Mont	Random number Packground Range Range	Random number Patchauction Pat

. .

_		
[FIG.	30]	(Continue)

	T												_				_			
Bight character	Phrase	Sorry, I have a boyfriend.	I have a date with my boyfriend.	Don't give me a nasty look!	wny don t you lose your weignt? I've iust dined.	Get a decent job, you bum!	Sorry, I won't date guys younger than I.	I'd rather paint the town red.	Your thing is small-size, right?	So what?	Not mine.	Don't embarrass me in public.	You never know!	Are you nuts? Do you really think I can hang around in there in school	uniform? What are von looking at ischass?	Sorry, I'm on a diet.	High school girls are not allowed to	ge. Well, I'll pass.	I loathe greasy food.	Suit yourself. I don't care.
	Real intention ngisep	. H10	H07	H16	н17 Н12	H08	H16	H17	H19	H08	H12	Н07	H20	H16	H17		H20	H16	H16	H19
1	Expression	F3			г. F3	F4	F2	F2	F3	F4	F3	F4	F4	У Р4	FZ	F3	F4	F3	F4	F4
	Name	Kishimoto	Kishimoto	Kishimoto	Kishimoto	Kishimoto	Kishimoto	Kishimoto	Kishimoto	Kishimoto	Kishimoto	Kishimoto	Mamiya	Mamiya	Mamiva	Mamiya	Mamiya	Mamiya	Mamiya	Mamiya F4
Left character	Phrase	I love you from the bottom of my heart.			I'll treat you to dinner.		Will you please go out with me?	I wanna talk to you in a quiet place.					Come on! You're gonna be all right.	Let's go.	Glance		Let's go to a pachinko parlor.	What do you say?	Tonkotsu is the best.	Why don't we get some stamina and make love?
	Real intention ngisəb	H10	H16	H10	H09	H13	Н03	H03	H02	H13	H09	90H	H03	H11	H03	H09	H04	H09	H09	H02
	Expression	F2			F 2	F2	표	F2				F3	F3	F3	H.3		F2	F3	F2	F3
	Name	Saitoh	Saitoh	Akiba	Suzuk	Suzuki	Suzuki	Moroboshi	Ayakohji	Ayakohji	Kayama	Kayama	Saitoh	Akiba	Imada	Moroboshi	Moroboshi	Ayakohji	Ayakohji	Kayama
	Background	Station plaza	Seaside park	Seaside park	Station plaza Suzuki	Seaside park	Seaside park	Station plaza	Station plaza	Station plaza	Station plaza	Station plaza Kayama	Station plaza	Seaside park	Station plaza	Station plaza Moroboshi	Seaside park Moroboshi	Station plaza Ayakohji	Station plaza Ayakohji	Station plaza
Random number for production	pattern determination Range Width of of andom random umber number	1	1	, -, -			-	-	-		П	1	1		,-		-	Н	<u> </u>	
	7 2 2	21	22	23	25 25	26	27	28	59	30	31	32	33	34	35	36	37	38	39	40
<u></u>	Production pat	22	23	24	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41
đno	Production gr	0															,			

[FIG. 30] (Continue)

اد			***		the												ر						ow.	e e	٠,	
					Here we go again. That's always the case with nerds.		nking				h a		What're you looking at, crackpot?				I thought you were on a diet, huh?	ants.	1.19	Joof			No. You are a poor player, you know.	Let me remind you. You can't come on to me. OK?	Sorry? Did you say you like nudes?	gat?
		:	se	i.	nat's a	pig!	I know what you're are thinking about.	odel.			Don't you talk to me in such a manner!		at, cra	e.	ë.	rk!	n a die	don't like doggish restaurants.		Don't you see i'm on the jobs	ty.		layer,	rou ca	ou like	Hey! What're you looking at? Sorry. I've got some work to do.
	ter		Phrase	dinne	ain. Tł s.	be a	ou're a	ı a mo			to me	نب	oking	on se	on se	ıer, je	vere o	gish r	on se	0 111 1	a par		oor pl	you.	say yo	you le
	harac			t had	go aga h nerd	gonna	rhat y	se. I'n	verti	y!	u talk	I won	you lo	ork, y	ork, y	anotk	t you	ke dog	ork, y	aas n	have	oks.	are a I	emind . OK?	id you	nat're
	Right character			I've just had dinner	Here we go agai case with nerds	You're gonna be a pig!	I know v about.	Of course. I'm a model.	You pervert!	Go away!	Don't yor manner!	I won't. I won't.	hat're	I'm at work, you see	I'm at work, you see.	Tell me another, jerk!	hough	on't li	I'm at work, you see.	ni t ye	Sorry, I have a party	No, thanks.	. You	Let me remind on to me. OK?	rry? D	Hey! What're you looking at' Sorry, I've got some work to do.
	Rig	1	rgisəb	H19 I'v	H17 H6	H18 Yc	H18 I k ab	H15 O	H16 Yc								-	<u> </u>					_			
			Real inten	-						1 H07	t H04	3 H08	3 H19						H07		80H ;		H20	H16	H16	H19
		uoi	Express	be F4	be F4	be F3	be F4	De F4	e F3	e F4	e F4	e F3)e F3	я F4					я Н4		a F2		а F4	в F4	а F4	a F4
			Name	Watanabe	Watanabe	Watanabe	Watanabe	Watanabe	Watanabe	Watanabe	Watanabe	Watanabe	Watanabe	Edogawa	Edogawa	Edogawa	Edogawa	Edogawa	Edogawa	Duogawa	Edogawa	Edogawa	Edogawa	Едоважа	Edogawa	Edogawa Edogawa
			<u> </u>													one?									a;	
				nt.		ıt.					ne?					croph	نب	int.	me:	برد		ove.	arlor		vorit	vorit
			ıse	aura		aurai		ıh?			vith r				t now	my m	aurar	taure	with	y out o		ole lo	nko p		eat fa	eat fa
	ter		Phrase	d res		e rest		ty, hu		e yon	out 1	me?			righ	pold	rest	cy res	inner	mone	o lionii	ny w	pachi		ny gr	ny gr
	arac			a g00		a nice		pret	hee	ed lik	og no	on co		١.	ı do i	/anna	a nice	a fan	out d	make	manc 3.	you r	to a]		are 1	are 1
	Left character	:		I know a good restaurant.	Gehehe	I know a nice restaurant.	Gufufu	You are pretty, huh?	Yee hee hee	I damned like you	Won't you go out with me?	Won't you come?	Slurp	Let's go.	I wanna do it right now.	Do you wanna hold my microphone?	know a nice restaurant.	I know a fancy restaurant.	How about dinner with me?	willsue Let's on make monev out of	gambling.	I'll give you my whole love.	Let's go to a pachinko parlor.	Let's go.	Noodles are my great favorite.	Huge Noodles are my great favorite.
	Ţ		desigr	H03 I1	H02 G	HO3 11	H02 <mark>G</mark> -	HO3 $ \mathbf{Y}_{\mathbf{c}} $	H03 Y e	H16 I d	H16 W	H13 W	HO2 SI						H06 H	_			H04 Le	H10 Le		
١			Express Real inten	↓										_							2 H13	3 H14				H02 H09
				oh F2	kiba F3	kiba F3	da F3	ki F2	hji F2	hji F3	hji F3	hji F3	na F3						ada F2		zuki F2		shi F2	na F3		na F3
			Name	Saitoh	A	P	Imada	Suzu	Ayako	Ayako	Ayako	Ayakohji	Kayama	Saitoh	Saitoh	Saitoh	¥,	<u> </u>	별 ;	<u>ი</u>	Sa	Moroboshi	Moroboshi	Kayama	Kayama	Kayama Kayama
١		puno		park	plaza	plaza	plaza	park	park	plaza	plaza	park	park	plaza	park	park	park	plaza	park	pıaza	park	park	park	park	plaza	olaza olaza
		Background)	Seaside park	Station plaza	Station plaza	Station plaza	Seaside park Suzuki	Seaside park Ayakohii	Station plaza Ayakohji	Station plaza Ayakohji	Seaside park	Seaside park	Station plaza	Seaside park	Seaside park	Seaside park	Station plaza	Seaside park	otation piaza	Seaside park	Seaside park	Seaside park	Seaside park	Station plaza	Station plaza Station plaza
ł	n n			1	St	ŝ	St	လ္ဆ	ജ	ŝ	St.	အီ	S	St	တ္ထ	യ്ക	യ്	<u>x</u>	<u> </u>	<u>3</u>	တ္ထ	Se	Se	Se	St	Sta
	andom numbe for production	pattern determination	Width of random number			-	_	_		_			_	1	_	_		_		⊣	-		-		_	
	Random number for production	pat determ	Range of random number	41	42	43	44	45	46	47	48	49	20	51	25	53	54	55	56		28	59	09	61	62	63 64
ŀ			Productio	42	43	44	45	46	47	48	49	20	51	52	53	54	55	99	57	ဝင္ပ	29	09	61	62	63	64 65
l	dno	ion gr	Product	0	,																				-	

 \mathcal{O}

	(F	I	G	3 1]											
A	Right character		Phrase		H16 I have to work at night.	We got divorced last month, remember?	Cut it out! Pervert!	You are really rude!	Don't tell me a fib.	I don't wanna get involved with you.	I don't feel like karaoke.	H20 Hey! What're are you staring at?	H16 You are a bad singer, don't you know?	That might be first place in the food I hate.	H09 You are not my type, sorry.	H20 None of your business!
	:		nətni L ngisəb	вэЯ	H16	H04	H19	H20	H18	H07	60H	H20	H16	H07	H09	H20
ate		noi	press	хЭ	F3	F4	F2	F4	F3	F4	F3	F4	F4	F4	F4	F3
each st			Name		Yachigusa F3	Yachigusa F4	Yachigusa	Yachigusa	Yachigusa	Yachigusa	Yachigusa F3	Yachigusa	Yachigusa F4	Yachigusa	Yachigusa F4	Yachigusa F3
(2) for misses without reaching a Reach state	Left character		Phrase		Hey, won't you spend a night with me?	Hey, sweetie, won't you go with me?	Huge	Come on! You're gonna be all right.	I like chatting rather than making love, you know.	Do you love me?	Why don't we sing together?	Stare	Won't you join me?	Do you like it?	Won't you have some fun with me?	You're in your safe period today, right?
2) for		rion.	nətni lı ngisəb	вэЯ	H03	H16	H03	H03	H02	90H	H12	H03	H12	90H	H12	H02
) Je (noi	press	Е×	F3	F3	F2	F2	F3	F2	F2	F3	F2	F2	F2	F3
ion tal			Name		Saitoh	Saitoh	Saitoh	Saitoh	Akiba	Akiba	Imada	Imada	Suzuki	Suzuki	Moroboshi	Moroboshi
Production pattern determination table		Backeround	0		Station plaza Saitoh	Station plaza Saitoh	Seaside park Saitoh	Seaside park Saitoh F2	Seaside park Akiba	Station plaza Akiba	Seaside park Imada F2	Station plaza Imada	Station plaza Suzuki F2	Seaside park Suzuki F2	Station plaza Moroboshi F2	Seaside park Moroboshi F3
ttern o	Random number for production	pattern determination	Width of	random number	1	-		-		-	-	-			-	1
tion pe	Random for pro	pat determ	Range of	random number	<u> </u>	99	29	89	69	70	71	72	73	74	75	76
) Jane		ed uc			99	29	89	69	70	71	72	73	74	75	92	77
\Pr	dno	ig noi	ognet	$\mathbf{b}_{\mathbf{r}}$	0											

F ΙG. 3 1 (Continue) How come I have to do a favor for you? Introduce some friends of yours to me. You wanna make love with me, don't I hope this is the last time to see you. Tou know what? That's why you put Definitely not. Don't you get it? You Let me tell you something. I've got certain inalienable right to choose Sorry, for your information, the "sugar daddy" thing is prohibited, you know. tell you what. Every man has a I have a date with my boyfriend. Then I gotta say good-by to you. You are frustrated, aren't you? Sorry, we better break up now. And then what're we gonna do? You know I can't go in uniform. Actually, I'm still a virgin... Sorry, I have a girlfriend. Phrase That's it? Are you sure? I'm not hungry now Right character Not a chance, scag. women, vou know. Beg another guy! Stop kidding me! Shame on you! No shoplifting! you, asshole? are tone-deaf Bullshit, pig! costly tastes. on weight. will vou? design H12H20 H18 H20 H12 H18 H17 H18 H18 H20 H17 H20 H04 H20 H18 H16 H20 H17 H17 H20 H08 120 H17 Real intention Expression F2 F4 F3F4F2F2F3F3 F4 F3F2F2F2F3 F2 F3 F4 F4F3 E_3 F3Saitoh Suzuki Takarada **Takarada** Akiba **Pakarada Fakarada Fakarada** Imada Takarada Takarada Takarada Takarada **Fakarada** Imada Takarada Moroboshi Moroboshi Moroboshi Takarada **Takarada** Ayakohji Pakarada Takarada Fakarada Name Buy it for me, please, please. Buy it for me, please, please. Buy it for me, please, please, please. Come on! You're gonna be all right. 've been waiting for you for a long 've been waiting for you for a long Hey, sweetie, wanna have fun with Won't you go to a karaoke parlor? For goodness sake, will you marry Will you please go out with me? Will you please go out with me? Will you please go out with me? Hey, Let's go earn some money. Would you like a cup of coffee? Hang out with me, will you? How about going out to eat? I know a nice restaurant. Won't you come with me? Phrase Wanna come with me? I'm broke this month. Left character What do you say? mean no harm Let's see. me, huh? Oh, my! Gufufu time. me? qear&u H09 H03 H14 H03 H09 H04 H05 H14 H15 H14 H03 H02 H14 H03 H04 H14 H05 H15 H09 H05 H02 H03 H02 Real intention Expression F3 F2 F3 F2 F2 F2 F3 F2F3 F2F2 F2 F2F2F2F2F3F2F2F2 F_2 Seaside park Takarada Seaside park Saitoh Akiba Seaside park Takarada Saitoh Station plaza Imada Station plaza Takarada Station plaza Suzuki Station plaza Suzuki Seaside park Takarada Station plaza Takarada Seaside park Takarada Ayakohji Seaside park Akiba Station plaza Akiba Takarada Station plaza Imada Suzuki Station plaza Takarada Ayakohji Seaside park Takarada Station plaza Kayama Kayama Kayama Kayama Name Station plaza Station plaza Seaside park Seaside park Seaside park Background Seaside park Seaside park Seaside park Seaside park Range of Width of tandom number random number determination for production pattern random number

97 98 99 100

98 99

97

100

101

77

78

Production pattern

Production group

79

80

8

81

81

82

82 83 84

83 84 85

85 86

86

87

87

88

88

89

89 90 91

90 91 92

92

93

93 94 95 96

94

95 96

F IG. 3 1 (Continue) You are not attractive enough to have You are not attractive enough to have If you wanna borrow some bucks from me, you are talking to a wrong person What the hell are you talking about? Sorry, I gotta go on urgent business. Well, I'll be excused. I'm not in good Sorry, I gotta go on urgent business. Sorry, I have a date with my friend. You have kind of a distinctive face, know what you're thinking about. Never. You always keep a mike to No way! I'm going for a drink. Sorry, I'm in kind of a hurry. Do you think you are pretty? Sorry, I'm in kind of a hurry a wonderful time, you know. a wonderful time, you know Sorry, I'm going to a party. You've got the wrong man! Really, stinking gourmet! Sorry, I'm not interested. Phrase I'm not that kind of girl I'm not that kind of girl! don't like gambling! I don't like gambling! Right character Son of a bitch! Be my guest. shape today. Th...thanks. don't you. yourself qeargn H19 H20 H16 H16 H12 H18 H₀7 H17 H20 H18 91H H17 H17 H20 H09 H20 H16 H08 H18 H20 H09 H17 H20 H20 Real intention Expression F33 F4F3 F3 \mathbb{F}_3 F3F2F2F3F3 £3 F3 F3 F4 F3 F3 \overline{E} F2F3 F3 F3 Ohara Ohara Ohara Ohara Ohara Imada Imada Ohara Ohara Ohara Ohara | Ohara Imada Ohara Ohara Ohara Saitoh Ohara Ohara Ohara Ohara Ohara Ohara Suzuki Ohara Moroboshi Name Thank you for your present, darling. Thank you for your present, darling. have a crush on you. Go with me, Won't you have some fun with me? Hey, won't you spend a night with Won't you go to a karaoke parlor? Hey, wanna fool around with me? 'm gonna be done in a minute... Hey, Let's go earn some money. I know a good yakitori parlor. Won't you hang out with me? ou are really good-looking. ou are really good-looking. You are really good-looking. know a good restaurant. know a good restaurant. won't let you go tonight Phrase I'm in love with you. Let's go for gambling. Left character damned like you. What do you say? Won't you come? Yee hee hee Hey, babe. Let's go. Let' go. please. me? ugisəp H03 90H H02 H15 H09 H09 H02 H15 H03 H03 H05 H03 H09 H13 H04 H04 H01 HII H02 H01 Real intention Expression F2F2F3F2F3F2F2F2F2F3F2 F3 F2F2F3 F2 Ξ Ξ F2F3F2F2F2F3F2Saitoh Ohara Suzuki Saitoh Saitoh Ohara Akiba Akiba Suzuki Seaside park Moroboshi Ohara Ohara Suzuki Ohara Station plaza Moroboshi Station plaza Ayakohji Seaside park Ayakohji Station plaza Kayama Station plaza Kayama Kayama Name Akiba Imada Seaside park Ohara Ayakohji Seaside park Ayakohji Kayama Station plaza Station plaza Station plaza Station plaza Seaside park Seaside park Station plaza Station plaza Seaside park Seaside park Station plaza Background Seaside park Seaside park Station park Seaside park Seaside park Seaside park Seaside park Width of Random number random number determination for production pattern Range of random number 102 103 104 105 107 108 108 601 119 110 111 122 125 126 127 120 123 124 121 03 04 Ртодисцоп растеги 20 22 125 126 127 128 [2] 124 Production group 0



Production pattern determination table (1) for misses after reaching a Reach state
*Types of Reach: SLL...Super love-love Reach, DTH...Direct-to-hotel Reach,

-	<u>I</u> G	. 3	2		_									
guy Reach A		Common food	reach course		Direct-to-hotel→All the hotel	rooms are occupied	Direct-to-hotel→All the hotel	rooms are occupied	Direct-to-hotel→Girl leaves in	front of the hotel	Direct-to-hotel→Girl leaves in	front of the hotel	Direct-to-hotel→Girl leaves in	front of the hotel
ther	яср	eЯ lo	səd	$\sqrt{\Gamma^*}$	חידו		DТH		חייים		ншс		TILL	1
ach, ANGAnor PSeaside park		Phrase before	Reach state				I'm in my safe	period today			I can't stand it		I can't stand it	any longer.
*Background:STPStation plaza,SSPSeaside park	Right character	noi noit	Name Ortean Phrase	ЕэД ГеэД	Watenahe E2 H14 A little hit OK2	1 2 III I II III OIG	Honio F3 H16 All right, if you say	80.	Ohta F2 H16 What? What am I	gonna do?	What do you wanna	do with me?	Mamiya E3 H20 Dan't as aboad	myallo neo Don vgo ancau.
• 8 *	Left character		Phrase	-			e do it.		I'll give you my.	ove.	not have some	fun with me?	we an?	Bo:
	eft c		design		02 13	2	03 1.	<u>. </u>	H01 [1]				<u>.</u>	
	L	uoi	press I inten	Ex. Rea	F3 H		F2 H	:			F2 H	: :	F3 H	; <u> </u>
			Name		STP Imada E3 H02 Glance		SSP Imada F2 H03 Let m		SSP Moroboshi F2		Akiha F2 H03		SSP Moroboshi F3 H02 Shall	
	pt	morg	Васк	[*	$_{ m GLS}$		SSP		SSp	2	SSP		SSP	
-1	u	əwo	%00	Ţ										\mathbb{I}
	number luction	tern ination	Width of	random number	128		128		128		64	(64	5
	Random number for production	pattern determination	Range of	random random number number	121~0		0~127	_	0~127	À	0~63		$64 \sim 127$	
		asq a	ottonp	$\mathbf{P}^{\mathbf{ro}}$	129		130		131	_	132		133	
	dno	on gr	nonpo	ьтd	-		2		٣.	•	4			
							_	_	_	_	_	_	_	_

	F I G. 3	2		(Cor	tir	ue)	I							A BAD	MARKO
HOPE	Reach course	Girl leaves in front of the lamen noodles shop							Direct-to-hotel→Girl leaves in front of the hotel	Direct-to-hotel→Girl leaves in front of the hotel		Direct-to-hotel→Girl leaves in front of the hotel	Direct-to-hotel→Girl leaves in front of the hotel	Direct-to-hotel→Boy leaves in front of the hotel	Direct-to-hotel→Boy leaves in front of the hotel
	• Types of Re	DSP	DSP	DSP	DSP	DSP	DTH	DTH	DTH	DTH	DTE	DTH	DTH	DTE	DTH
	Phrase before reaching a Reach state														
Right character	Phrase	Kishimoto F2 H09 Really? Where?	Take me to a five- star restaurant.	Wow! Let me see your play.	I can't loan you even a penny.	Sure, but where are	What? What do you mean "business"?	Can I give you one condition?	Well, OK, just for dinner.	Watanabe F3 H16 What a nerve!	You don't mean it, right? Don't you have the slightest idea of proposing to me, do	you? What're you driving at?	Old geezers are not my type, sorry.	Buy it for me, please, please, please.	I have a crush on Ohara F2 H18 you. Go with me, please.
ligh	Real intention	60Н	Н07	H13	Н20	H09	H14	H04	H16	H16					H18
~	Expression	. F2	F2	1 F2	F4	F3	F2	F3	72	F3	F3	F3	F4	F3	F2]
	Name	Kishimot	Mamiya F2 H07	Mamiya F2	Yachigusa F4 H20	Yachigusa F3	Honjo F2 H14	Mamiya F3	Watanabe F2	Watanabe	Edogawa F3 H05	Yachigusa F3 H16	Takarada F4 H20	Takarada	Ohara
Left character	Phrase	I know a good restaurant.	How about dinner with me?	ľm a pachinko pro, you know.	Let's go to a pachinko parlor.	Let's go hang around somewhere.	Hey, let's get down to business.	Hang out with me, will you?	Hey, won't you spend a night with me?	I'm dying to sleep with you.	I, I'm in love with you.	Hey, wanna fool around with me?	Hey, won't you spend a night with me?	You bet I'm gonna get you whatever you Takarada F3 H17 want.	Well, Okay, as long as we're just friends.
eft	Real intention design	60H	90H	1113	H04	H12	H02	H16	H03	H03	H15 J	H01	H02	H05 8	$H14\begin{vmatrix} V & V & V \\ B & V & V \\ & & & & & & & & & & & & & & &$
	Expression		F2			F3	F3	F2		F3_1	F2				F2 I
	Name	Могововћі F2	Imada	Ayakohji F3	STP Ayakohji F2	Suzuki	Moroboshi	Suzuki	Saitoh F3	SSP Moroboshi F3	Akiba	Kayama F3	Saitoh F2	STP Ayakohji F2	STP Moroboshi F2
	*Васквтои	STP	STP	STP	STP	$_{ m SSP}$	STP	SSP	SSP	$_{ m SSP}$	STP	SSP	SSP	STP	STP
uə	100% omo														
number luction	ern ination Width of random number	6	6	6	6	6	6	6	6	, G	6	6	6	10	10
Random number for production	pattern determination Range of Width of random random number number	8~0,	9~17	18~26	27~35	36~44	45~53	54~62	63~71	72~80	81~89	86~06	99~107	146 108~117	147 118~127
_	Production pa	134	135	136	137	138	139	140	141	142	143	144	145 9	46	47 1
dno	Production ga	2								. 1	,				

B

	F I G. 3			(Co		nue)									DEM	BN
	Reach course	Direct-to-hotel→Girl leaves in front of the hotel			In front of the pachinko parlor→All the hotel rooms are occupied	In front of the bar→ All the hotel rooms are occupied	DSP In front of the bar→ All the hotel rooms are occupied	In front of the restaurant→All the hotel rooms are occupied	In front of the pub→ All the hotel rooms are occupied			In front of the pub→ Girl leaves in front of the hotel	In front of the lamen noodles shop → Girl leaves in front of the hotel	In front of the lamen noodles shop → Girl leaves in front of the hotel	In front of the pachinko parlor→ Girl leaves in front of the hotel	In front of the pachinko parlor→ Girl leaves in front of the hotel
	*Types of Re	DTH	DSP	DSP	DSP	DSP	DSF	DSP	$_{ m DSP}$	DSP	DSP	DSP	DSP	$_{ m DSP}$	DSP	DSP
,	Phrase before reaching a Reach state	That F-cup belongs to me.				I'm gonna make it tonight!	Thank God, I changed my underwear!	I can give him my whole body if he	Boy, maybe I can make it!	I'm sure I'm gonna get her.				I feel my body tingle.	I wonder if I've got that much money.	I wonder if I've got that much money.
Right character	Phrase	You're so dirty!	HO4 Then prove it, will you?	Buy me expensive food, OK?	H08 Dinner's first, OK?	Edogawa F2 H17 is, I haven't got through my work yet.	As for me, the later, the better.	I'd like to go to some place where the	Well, let me think	Well, all right.	You can say that again! Kitakata was the good choice.	Well, actually, I don't like chicken.	I'm kind of hungry.	Sounds good! We better get some stamina, you know.	Well, it depends on where we're going.	Teach me some tricks then.
ligh	Real intention design	H15	H04		H08	H17		H10	F3 H04	H12	60Н	H19	H06	90H		
=	Expression	F3	e F4	a F2	• F2	в F2	# F3	F3		F3	1 F2	F3	F2	F2	F2	F2
	Name	Honjo	Watanabe F4	Mamiya F2 H17	Kishimoto F2	Edogaw	Edogawa F3 H16	Yachigusa F3	Ohta	Mamiya F3	Edogawe	Watanabe	Edogawa	Honjo	Mamiya F2 H08	Edogawa F2 H13
Left character	Phrase	Genehe	I, I'm in love with you.	How about going for a meal with me?	Won't you come with me?	I wanna have some talks with you around here somewhere.	I've been in love with you through all my life.	Won't you come?	Won't you go out with me?	Won't you come with me?	Tonkotsu is tasty, huh? Edogawa F2	I know a good yakitori parlor.	What do you say?	Why don't we go to a Chinese restaurant?	Won't you have a good time with me?	ľm a pachinko pro, you know.
Left	Real intention design	Н03	H16	H02	H13			H10	H16	Н09	60Н	Н03	60H	60Н	H13	H13
	Expression	а F3	r F2	a F2	a F2	1 F3	F3		F3	F2	F2	F2				F2
	Name	Kayama	Akiba	STP Kayama F2	Кауата	SSP Saitoh F3 H03	SSP Imada F3 H10	Ayakohji F3	Ayakohji	Saitoh	Akiba	Saitoh F2	Ауакоћјі F2	Ayakohji F3	Saitoh F2	STP Suzuki F2
pu	*Backgrou	SSP	SSP	STP	SSP	SSP	SSP	ssp	SSP	STP	STP	SSP	SSP	SSP	SSP	STP
ue	omo %001															
number luction	tern ination Width of random number	128	43	43	42	56	56	. 92	25	25	43	43	42:	43	43	42
Random number for production	pattern determination Range of Width or random random number	0~127	0~42	43~85	86~127	0~25	26~51	52~77	78~102	103~127	0~42	43~85	86~127	0~42	43~85	86~127
rtern	Production par	148	149	150	151	152	153.	154	155	156	157	158	159	160	191	162
đno.	Production gr	9	2			8					6			10		

 \circ

JAN 0 6 2004 STATE TO STATE OF THE STATE OF

*Types of Reach: SLL...Super love-love Reach, DTH...Direct-to-hotel Reach, Production pattern determination table (2) for misses after reaching a Reach state

[F

IG.

3 3

DSP Girl leaves the karaoke parlor DSP Girl leaves the karaoke parlor Girl leaves the lamen noodles In front of the bar→Pass the In front of the bar→Pass the In front of the pub→Pass the In front of the pub→Pass the In front of the restaurant→ In front of the restaurant→ In front of the restaurant→ Reach course DSP Girl leaves the pub Pass the hotel Pass the hotel Pass the hotel DSP...Date spot Reach, ANG...Another guy Reach hotel hotel hotel shop DSPDSP DSP*Types of Reach DSPDSPDSP DSP Phrase before Reach state *Background:STP...Station plaza,SSP...Seaside park reaching a me something then? What do you say to I'm kind of hungry, Promise me to sing What're you gonna I'd rather eat than Why don't you buy H17 split up with your You are tone-deaf, Are you sure you Then shall we go Phrase talk about love. F2 H17 having dinner Ohara F3 H19 Are you sure? Right character somewhere? you know. H11 | I'm thirsty. you know. seriously there? ngisəp H16 HI H07 Watanabe F2 H04 Rachigues F2 H11 Honjo F4 H20 Vachigusa F2 H12 Real intention Expression SSP Saitoh F3 III0 Are you free tonight? Watanabe F3 F3 Kishimoto F3 Honjo F2 Honjo F2 Name Ohta Kishimoto Let's go to a karaoke How about going for You know, I'm up to Hey, sweetie, won't bottom of my heart. I love you from the consolation money. you go with me? a meal with me? Phrase I know a good I know a good Left character H15 my neck in You are my restaurant. restaurant sunshine. Let's go. Moroboshi F2 H12 Let's go. parlor. design STP Saitoh F2 H16 SSP Saitoh F3 H15 H08 SSP Suzuki F2 H11 STP Kayama F2 H08 Ayakohji F3 H03 SSP Kayama F2 H14 STP Akiba F2 H02 Real intention <u>қхbкезатоп</u> Ayakohji F3 Akiba F3 Name SSP STPSTP SSP *Background 100% omen random Random number number determination for production Width ь 18 18 18 18 18 19 19 32 32 32 32pattern Range random number $18 \sim 35$ $36 \sim 53$ $72 \sim 89$ $90 \sim 108$ $0 \sim 17$ $54 \sim 71$ $32 \sim 63$ $64 \sim 95$ $109 \sim 12'$ $96 \sim 127$ $0 \sim 31$ 163 164 165 166 167 168 170 172 173 Ргодистоп рассеги 169 171 Production group 12

(Continue) FIG. 3 3 \mathfrak{P} Pub→Girl leaves in front of the Karaoke parlor→Girl leaves in Lamen noodles shop→All the Karaoke parlor→All the hotel OSP Restaurant→Pass the hotel Restaurant—Girl leaves in my whole body if DSP Restaurant→Pass the hotel Lamen noodles shop→Girl Restaurant→All the hote eaves in front of the hotel hotel rooms are occupied Reach course DSP Pub→Pass the hotel rooms are occupied rooms are occupied DSP Bar→Pass the hotel DSP Bar→Pass the hotel DSP Bar→Pass the hotel front of the hotel front of the hotel DSPDSP DSP DSP *Types of Reach DSP $_{\rm DSP}$ Phrase before he wishes... Boy, maybe I can Reach state 'm gonna make reaching a tingle. Thank God, I feel my body can give him changed my underwear! it tonight? make it! somewhere with me? I'm picky about food, wonder if we have Well, all right, just What do you say to somewhere? I don't know. Deep-Edogawa F2 H11 fried chicken is the to eat... Say, why don't we Yamucha is good, love to you. Will you buy me Watenabe F3 H18 the same taste in drink than make So you wanna go 'd rather have a Did you practice Phrase don't you think? Are you sure? having dinner hang around Right character best, isn't it? somewhere? H18 Just dinner? something? you know. hard? qesign Takarada F3 H17 H12 F3 H15 F3 H01 90H H18 H17 H04 H01 H05 Real intention Expression Watanabe F2 F3 F2Kishimoto F2 Mamiya F2 Mamiya F3 Kishimoto F3 Honjo F2 Name Ohta Ohta Yachigusa Mamiya Why don't we go to a Won't you come with How about going for Won't you go out to Green soybeans are Why don't you have Will you please go the best appetizer. How about dinner I, I'm in love with Won't you go out Phrase a meal with me? dinner with me? STP Suzuki F2 III6 You are pretty. I know a good out with me? Left character restaurant. with me? with me? SSP Imada F2 H12 Let's go. hotel? eat? F2 H16 uarsəp H02 Moroboshi F2 H03 H09 Ayakohji F2 H15 Akiba F2 H02 Moroboshi F2 H11 H14 Kayama F2 H02 SSP Imada F2 H02 H03 Real intention <u>Expression</u> F2 F3 Могововы F3 Saitoh F2 Name Moroboshi Akiba Akiba SSP STPSSP $_{\rm SSP}$ SSPSSP STP SSP *Background 100% omen tandom number random numbe for production determination Range Width 128 ь 128 64 64 43 43 42 32 32 32 32 64 64 pattern random umber $0 \sim 127$ $43 \sim 85$ $64 \sim 127$ $86 \sim 127$ $64 \sim 127$ $32 \sim 63$ $64 \sim 95$ $0 \sim 63$ $0 \sim 42$ $0 \sim 127$ $96 \sim 127$ $0 \sim 63$ $0 \sim 31$ 178 Production pattern 176 177 179 80 182 183 174 185 184 186 181 Production group 14 15 9 17 18

JAN D 6 2004 E

JAN 0 6 2004 E

	[]	FI	G.	3	3.]	((Cont	inue)	
C		Reach course			ANG Imada appears→Kishimoto leaves with Imada	ANG Rayama appears→Yachigusa Jeaves with Kavama	ANG Kayama appears—Yachigusa leaves with Kayama	ANG with Saitoh with Saitoh	Akiba appears→Ohta leaves with Akiba	ANG Akiba appears→Ohta leaves with Akiba
	вср		bes o	$\sqrt{\Gamma^*}$	AN	AN	AN	ANC	AN	ANC
		Phrase before	Reach state					That F-cup belongs to me.	I'm sure I'm gonna get her.	I'm in my safe period today
	Right character		Phrase		Kishimoto F3 H11 Well,	Okay,maybe we can relieve stress.	Then how about dinner with me?	Honjo F2 H07 somewhere with me belongs to me.	OK, just a little while.	Ohta F3 H17 Stay with me tonight.
	ight	tion	nətni I <u>design</u>	Кеа	H	H12		Н07	H16	H17
	R	noi	seerq I inten	Ex	F3	FZ	F2	F2	F3	F3
			Name		Kishimotc	Yachigusa F2 H12	Yachigusa F2 H07	Honjo	Ohta F3 H16	Ohta
	Left character		Phrase		How about going for a meal with me?	Wanna come with me?	I damned like you.	I bet I'm gonna capture your heart.	Let's go for a drink.	OK. Anytime.
	,eft		nətni l n <u>sieəb</u>	кез						H15
	T	uoi	ssərq	хЭ	F2	F2	F3	F2 1	F2	F2 I
			Name		STP Kayama F2 H08	SSP Suzuki F2 H12	STP Ayakohji F3 H16	STP Imada F2 H16	SSP Suzuki F2 H10	Imada F2
	pt	mora	Васк	.*	STP	SSP	STP	STP	SSP	SSP
	u	əwo	%00							
	Random number for production	pattern determination	Width of	random random	43	43	42	43	43	42
		Production pattern for pro determ Rango of of of condon of of condon of of condon of c				43~85	86~127	0~42	43~85	86~127
	πлəդ	a pat	oitoub	\mathbf{P}^{ro}	187	188	189	190	191	192
٠.	dno	où Erc	pducti	$\mathbf{P}_{\mathbf{r}}$	19			20		

Production pattern determination table (1) for big hits

*Types of Reach: SLL...Super love-love Reach, DTH...Direct-to-hotel Reach,

*Background:STP...Station plaza,SSP...Seaside park *100% omen:ST...Shinkansen bullet train,YT...Yellow train, WD. White dor RD. Brown dor

(F	<u>I G</u>	. 34]	•											\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	RADEMA	BK OFF
ellow train,		Reach course	A heart is displayed on the		Direct-to-hotel→Go into the hotel				DSP Bar→Go into the hotel	DSP Bar→Go into the hotel	Bar→Go into the hotel	DSP Bar→Go into the hotel	DSP Bar→Go into the hotel	DSP Bar→Go into the hotel	DSP Bar→Go into the hotel	DSP Restaurant→To the hotel
park TY	зер	*Types of Re	SLL	SLL	DTH	ртн	ртн	ртн	DSP	DSP	DSP			DSP	DSP	
i:STPStation plaza,SSPSeaside I n:STShinkansen bullet train,Y WDWhite dog,BDBrown dog		Phrase before reaching a Reach state				I feel my body tingle.		I can't stand it any longer.		I feel my body tingle.		That F-cup belongs to me.	That F-cup belongs to me.	Thank God, I changed my	Thank God, I changed my underwear!	That F-cup belongs to me.
*Background:STPStation plaza,SSPSeaside park *100% omen:STShinkansen bullet train,YTYellow train, WDWhite dog,BDBrown dog	Right character	Phrase	That's what I want		Make sure that you satisfy me,	You are frustrated, aren't you?	I won't let you go to sleep tonight,		Well, I'm still at work, but	You wanna see more?	All right.	As for me, the later, the better.	All right.	Why don't we have a talk somewhere?	I will look much Thank God, better if I take off my changed my	Watanabe F2 H14 Look who's talking!
баск <u>в</u> 100%	Righ	Real intention	Honjo F2 H14	H16	H01	H16	H14	H14	H01	H15	H16	Honjo F2 H01	Honjo F2 H04	H10	H14	H14
* *		Expression	jo F2	jo F2	ьва F3	abe F3	а F3	ibe F4	Edogawa F3 H01	Машіуа F3	lo F2	lo F2	0 F2	P3	ва F3	ъе F2
		Name	Hon	Honjo	Yachigusa	Watanabe	Ohta	Watanabe	Edoga	Маші	Honjo	Honj	Honj	Kishimoto F3 H10	Yachigusa F3	Wetane
	Left character	Phrase	You wanna make Jove with me_yeah?	Hold it tight, will you?	Shall I give you a shot?	Oh, my!	Why not have some fun with me?	Shall I give you a shot?	Hey, sweetie, wanna have fun with me, huh?	H03 Glance	Hey, won't you spend a night with me?	I've been in love with you through all my life	Won't you go out with me?	I want to know more about you.	You have a really nice body, huh?	You are really wet, aren't you?
	Left	Real intention design	H14	H01	H01	Н03	Н02	H14	H01	H03	Н03	H01			H14	
		Expression	h	h	та F3	ki F3	а F3	18 F3	ıji F3	а F3	h F3	a F2	ųi F2	a F2		n F2
		Name	STP Saitoh F2	SSP Saitoh F2	Kayama F3	SSP Suzuki F3	Akiba	Kayama F3	STP Ayakohji F3	SSP Imada	Saitoh	STP Imada F2	SSP Ayakohji F2 1116	SSP Imada F2 H10	STP Ayakohji F3	STP Moroboshi F2 H02
		*Backgrou	STP	SSP	STP	SSP	STP	STP	STP	SSP	SSP	STP	SSP	SSP	STP	STP
		mo %00I	\mathbf{ST}			WD	YT	\mathbf{sr}							\mathbf{ST}	
	andom numbe for production	pattern determination ange of Width of andom random	64	64	128	128	128	128	128	128	128	26	26	26	. 25	25
	Random number for production	pattern determination Range of Width of random number number	69~0	64~127	0~127	$0 \sim 127$	$0 \sim 127$	0~127	0~127	0~127	0~127	0~25	26~51	52~77	78~102	206 103~127
., *	плэээ	Production pa	193	194	195	196	197	198	199	200	201	202	203	204	205	2061
	dno	Production gr	21		22	23	24	25	26	27	28	29				

Comparison number Comp	_	I	FIG. 3	4		(Con	tinu	ıe)									QEMAS	3K.
Right character		39CU		3P Bar→Go into the hotel	SP Bar→Go into the hotel	SP Bar→Go into the hotel	Bar→Go into the hotel.	Restaurant→Go into the hotel	3P Restaurant→Go into the hotel	Pub→Go into the hotel	Pub→Go into the hotel	Karaoke parlor→Go into the hotel		Par→Go into the hotel	P Bar→Go into the hotel	PRestaurant→Go into the hotel	PRestaurant→Go into the hotel	Haraoke parlor→Go into the hotel
Randoum number Carporal Ca	┝			ä	Ä	<u>Ö</u>	ğ	<u> </u>	<u>ă</u>	ũ	ğ	<u>~</u> _		DS	T SC	DS	DS	DS
Random number Right Random number Right Random number Right Random number Right Random random Control Co		i	Phrase before reaching a Reach state											I wonder if I've got that much money.	Thank God, I changed my underwear!	I can give him my whole body if he	wishes I'm in my safe period today	I'm in my safe period today
Random number Right Random number Right Random number Right Random number Right Random random Control Co		t character		You are really rude!	I love you, too.	So why don't we have a good time	You are so handsome!	You are proposing to me, aren't you?	Of course, if I'm really fine with you.	Absolutely!	I darned like wild men!	Heck, you went down there yesterday with another girl, huh?	Love-love couple!	Will you buy me something?	Sure, my boy.	l bet I'm gonna be a good wife.	What do you mean fun"?	You bet I'm gonna 10ld and suck it!
Range of Width of Caracter Ca		ight	Real intention		H01					H111		120	113			105		
Range of Width of Caracter Ca		R	Expression	F4	F2		F2	F2		F2	F2	F3_1	F2 1	 F2	F2	F2 F	F2 1	F2
Rangon number Color Colo					Edogawa		Yachigusa	Honjo	Ohta	Watanabe	Edogawa	Watanabe	Kishimoto		Kishimoto	Ohta	Watenabe	Mamiya
Random number Random number Pattern Pa		character		I understand you are a hussy.	I love you.	I want to know more about you.	Oh, you are really peautiful!	I wanna eat your homemade miso	soup. Will you go out with me on the marriage basis?	Aren't you thirsty?		Let's go to karaoke. Come on!	Do you know which machine is a iackpot?			I want to spend the rest of my life		u wanna hold crophone?
Random number For production Pattern P		Left	Real intention		H01	H15	H16	H15	H14	H11			H13			H15		
Random number For production Pattern P				n F3	a F2	a F2	я F2	i F2	ı F2	4 F2	i F2	1 F2	i F2	F3	F3	F3		F3
Random number For production Pattern P				Saito	Imada	Imade	Кауаш	Morobosh		Imada	Ayakohj	Кауаш	Ayakohj	Suzuki	Suzuki	Saitoh	Suzuki	Suzuki
Random number for production pattern pattern determination random 13 13 13 14 15 15 15 15 15 15 15	Ļ			STF	STF	$_{ m STP}$	STP	STP	STP	ssp	SSP	STP	STP		$_{ m STP}$	STP	STP	$_{ m SSP}$
2 22 21 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Ļ		T 6						ST					YT			YT	
2 22 21 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	100	number luction	cern ination Width of random number	13	13	13	13	13	13	13	13	12	12	56	26	26	25	25
2 22 21 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Random	kandom for proc	pati determ Range of random number	0~12	13~25	26~38	39~51	52~64	65~77	06~82	91~103	04~115	16~127	0~25	26~51	52~77	'8~102	$03 \sim 127$
July 20 - 2-11 - 11 - 11 - 11 - 11 - 11 - 11				202	208							2151	2161	217			320 7	221
		dno	Production gr															,,

Production pattern determination table (2) for big hits

*Types of Reach: SLL...Super love-love Reach, DTH...Direct-to-hotel Reach,

*Background:STP...Station plaza,SSP...Seaside park
*100% omen:ST...Shinkansen bullet train,YT...Yellow train,
WD White And DD December 1.

[٦	[G	. 35]											¥
A		Reach course	DSP Bar→Go into the love hotel	DSP Bar→Go into the love hotel	DSP Restaurant→Go into the love hotel	BSP Restaurant→Go into the love	DSP Restaurant→Go into the love hotel	DSP Restaurant→Go into the love hotel	DSP Lamen noodles shop→Go into the love hotel	DSP Lamen noodles shop→Go into the love hotel	Lamen noodles shop→Go into the love hotel	DSP Karaoke parlor→Go into the love hotel	DSP Pachinko parlor→Go into the love hotel
	чэв	*Types of Re	DSP	DSP	DSP	DSP	DSP	DSP	DSP	DSP	DSP	DSP	DSP
WDWhite dog,BDBrown dog		Phrase before reaching a Reach state					·						
WDWhite dog	Right character	Phrase	You know, I darned like men from the Kansai area	Don't be rough on me. OK?	Wow! Thank you so much.	Am I really enough	Do you love me that much?	No nude pictures, OK?	Would you like to have a stinking affair with me?	I'm starving.	Edogawa F3 H06 Sounds great!	Why don't we eat at a karaoke parlor?	Then let's go for a drink on you,
	Right	Real intention design		H14	F4 H18						90H		
		N ame Expression	Ohta F2 H15	Kishimoto F3 H14	Ohta F4	Mamiya F2 H14	Watanabe F2 H15	Edogawa F3 1104	Honjo F2 H07	Edogawa F2 1106	awa F3	Mamiya F2 H12	Ohta F2 1108
		Na	ĬŌ	Kishi	Ö	Мап	Wata	Edog	Ho	Edog	Edog	Man	o o
	Left character	Phrase	Won't you go out with me?	H14 I won't let you go tonight.	You are my sunshine.	I have a crush on	I dreamed about you last night.	Let me take a picture of you.	STP Kayama F2 H06 Do you like gyoza?	How about dinner with me?	Why don't we go to HO6 our usual	Noodles are my great favorite.	ľm a pachinko pro, you know.
	Left	Real intention ngiseb	H15	H14	H03	H14	H15		90Н	60H	90H		H13
		Expression	ћјі F3	la F3	na F3	shi F2	shi F2	a F2	na F2	shi F2	hji F3	ла F2	ıji F2
		Name	STP Ayakohji F3 H15	STP Imada F3	STP Kayama F3	STP Moroboshi F2	STР Могововы F2	SSP Akiba F2 H14	Kayan	SSP Moroboshi F2	SSP Ayakohji F3	STP Kayama F2 H09	SSP Ayakohji F2
		*Backgrour	$_{ m STP}$	$_{ m STP}$	STP	STP	${ m STP}$	SSP	STP	$_{ m SSP}$	$_{ m SSP}$	STP	$_{ m SSP}$
		100% ome		$_{ m ST}$		\mathbf{ST}							
	numbe duction	tern ination Width of random	11	11	11	11	12	12	12	12	12	12	12
	Random number for production	pattern determination Range Width of of random random	0~10	$11 \sim 21$	22~32	33~43	44~55	26~67	68~79	80~91	230 92~103	231 104~115	232 116~127
	nrei	Production pat	222	223	224	225	226	227	228	229	230	231 1	232 1
	đno	Production gre	32	-									

_	[F	IG. 3	5	(Co	onti	nue)				_				7	TA VBA	DEMARKS
1		Reach course	DSP Bar→Go into the love hotel	Restaurant→Go into the love hotel	DSP Pub→Go into the love hotel	Lamen noodles shop→Go into the love hotel	Lamen noodles shop→Go into the love hotel	Lamen noodles shop→Go into the love hotel	Lamen noodles shop→Go into				Restaurant→Go into the love hotel	Restaurant→Go into the love	notes Restaurant→Go into the love hotel	Restaurant→Go into the love hotel
Ľ	reach	A to saqyT*	DSI	DSF	DSF	DSP	DSP	DSP	DSP	DSP	DSP	DSP	DSP	DSP	DSP	DSP
	Phrase hefore	reaching a Reach state	I'm in my safe period todav	I can give him my whole body if he wishes	I wonder if I've got that much money.	I'm sure I'm gonna get her.	Boy, maybe I can make it!	I feel my body tingle.	Boy, maybe I can		I'm sure I'm gonna get her.		Boy, maybe I can make it!	I can't stand it any	ronger. I'm gonna make it tonight!	I'm gonna make it tonight!
	Kight character	Phrase	Yachigusa F3 1116 Hold me tight	What? Did you say "marriage"?	I know a nice restaurant. Wanna	For That's a good idea! Let's go.	OK, I'm going with you 'cause today is my birthday.		Why don't we make ourselves really hot?	You are a real animaniacl	You are so sweet!	Are you sure? We can separate the bill, if you like.	Is that really enough Boy, maybe I can for you?	Kishimoto F3 H14 Lech!	What're you talking about?	rou are reany enthusiastic about I'm gom costume plays, aren't tonight!
5	rign -	Real intention	H16	Mamiya F3 H01	HI	F2 H06	H18	H19	F2 H09	H12	H01	F2 H18	H16	H14		H14
	_ 	Expression	188 F3	ya F3	Yachigusa F3			be F2	sa F2	78 F2	/а F3		to F2	њ F3	ъе F2	ъ F3
L		Name	Yachig	Mami	Yachign	Ohta	Kishimoto F2 H18	Watanabe F2	Yachigusa	Mamiya F2	Mamiya F3	Ohta	Kishimoto F2	Kishimo	Watanabe F2 1115	Edogaw
1	Leit character	Phrase	I won't let you go tonight.	Will you go out with H01 me on the marriage basis?	Won't you go out to eat?	Let's go for Tonkotsu lamen noodles.	How about going for a meal with me?	Let's eat something to perk ourselves up.	Noodles are my great favorite.	g animated ongs.	You look really gorgeous!	SSP Suzuki F2 H02 [71] buy you dinner.	I.bet I'm gonna capture your heart.	Pop!	I, I'm in love with you.	H14 Are you free tonight? Edogawa F3
3,	Terr	Real intention design	H10	H01	H08	F2 H09	F2 H02		60Н	H12	H16	H02	H01	H02	H15	H14 /
		Expression	а F3	а F2	hi F2			ıi F3	a F2	1 F2	i F3	i F2	1 F3	F3	F2	F3
		Name	SSP Imada F3 H10	STP Akiba F2	STP Moroboshi F2	Akiba	Akiba	STP Moroboshi F3 H02	STP Kayama F2 H09	Akiba	Suzuki F3	dzuk	SSP Imada F3	STP Imada F3 H02 Pop	Akiba	STP Suzuki
	pun	*Backgro	$_{ m SSP}$	STP	STP	SSP	STP	STP	STP	SSP	STP	SSP	SSP	STP	STP	STPS
Ĺ	uəu	100% on		,		WD				BD		-				ST
Random number	for production	determination ange of Width of andom random	14	14	14	14	14	14	14	15	15	128	32	32	32	32
			0~13	14~27	28~41	42~25	69~99	70~83	84~97	240 98~112	113~127	0~127	0~31	32~63	64~95	96~127
		Production p	3 233	234	235	236	237	238	239	240	241	242	243	244	245	246
L		anithrithord	33									34	35			

 \mathbf{B}

JAN D 6 2004

		FIG. 3	5]	((Conti	nue)		
C		Reach course	Imada passes by, Lamen noodles shop→Go into the love hotel	ANG Saitoh passes by, Lamen noodles shop→Go into the love hotel	Kayama passes by, Lamen ANG noodles shop→Go into the love hotel	ANG Suzuki passes by, Lamen noodles shop→Go into the love hotel	Ayakohji passes by, Lamen ANG noodles shop→Go into the love hotel	Moroboshi passes by, Lamen ANGnoodles shop→Go into the love hotel
	ach	*Types of Re	A.A.	AN			ANG	ANC
		Phrase before reaching a Reach state			I can give him my whole body if he wishes	I'm sure I'm gonna get her.	I can't stand it any longer.	ľm gonna make it tonight!
	Right character	Phrase	If you're satisfied with me	Ohta F3 H20 Not that cheap.	Kishimoto F2 H09 divorce your wife?	all about you. Kishimoto F2 H07 I wanna get to know I'm sure I'm gonna get her.	Mamiya F3 H04 Well, let me think longer.	Матіуа F3 H15 for you?
	light	Expression Real intention maissb	Ohta F3 H15	H20	60H	Н07	H04	H15
	H		F3	F3	• F2	o F2	a F3	а F3
		Name	Ohta	Ohta	Kishimot	Kishimot	Mamiy	Mamiy
,	Left character	Phrase	You wanna sleep with me, yeah?	How much is it per night?	You said it! I love you.	I want	Why don't we have STP Saitoh F3 H14 sugar daddy business?	Hang out with me, will you?
	Left	Real intention ngisəb	H15			H16	H14	
		Hxpression	n F2	в F3	ı F2	ni F2	1 F3	iF2
		Name	STP Saitoh F2 H15	STP Kayama F3 H02	STP Saitoh F2 H12	STP Moroboshi F2	Saitol	STP Suzuki F2 H15
	pτ	*Backgrour	STP	STP	STP	STP	STP	STP
		100% оше						
	Random number for production	pattern determination Range Width of of random random	64	64	32	32	32	32
			0~63	248 64~127	0~31	32~63	64~95	252 96~127
	nyər	Production pat	247	248	37 249	250	251	252
١.		Production gro	36					

[FIG. 36]

FIG. 36

Expressions in expressing the phrase

Table of Expressions of male characters in the standard game

Expression in a miss

mare charac	ters in the stand	aro game	*	1
Name of	Basic Expression	セリフを表示	する際の表情	はずれの際の表情
character	F1	F2	F3	F4
SAITOH				
Tsuneo			-	
				100
			NO SH	
		5 (10)		A RAPA
	KLYWY N	19 7 7 (2) (18 / 18 /	C FAM	
AKIBA				<u> </u>
Toshio	400			
				2.
		ME!		
ļ		1 3 3 1		
IMADA		·		
Katsunori				
	6	ा दे व		
}		K B	19.37	
· ·				
	(1 (MA))		A VARI II	WANT !!
SUZUKI	_			
Ryoiti				
		100		
			Page 1	
		3073		
ļ		R. IEZAM		
MOROBOSHI				
Makio				
			12	40)
		A WAR	不是人	
AYAKOHJI		· · · · · · · · · · · · · · · · · · ·		
Tomezo		(Second)		
			المراجعة على	
			9	
			祖祭	
	1/425/			
KAYAMA				
Macho	THE MIGNISH	Tracinished &	To the second	MAKATANA
			2	
	CE B	20 J		Mag N
		EX		
	A STAN	TE	AND TERM	



[FIG. 37] FIG. 37 Expressions in expressing the phrase Table of Expressions of female characters in the standard game

Name of character	Basic Expressio	n t	リフを表示する際の	表情
character	F1	F2	F3	:F4
HONJO	_		ļ	!
Namie				
OHTA			1,12,13	
Kasumi		(F)		
KISHIMOTO Kyoko	CO PARA			
MAMIYA				<u> </u>
Saori				
WATANABE	······································			
Erika				
EDOGAWA	_			
Ranko			2	
YACHIGUSA			1	
Shinobu				
TAKARADA Megumi				
OHARA		57 2 VX	. 123	~/ 3 /3
Misuzu				